







PA MUNICIPAL, INC.

SIGNS, POSTS & SUPPLIES CATALOG

1-800-222-1980 | WWW.PAMUNICIPAL.NET

10583 Raystown Road, Huntingdon, PA 16652-7545






STREET SIGNS

Aluminum Sign Blanks 30
Banners 31
Civic Signs 20-21
Cone Signs 47
Coroplast Signs 31
Custom Signs 31-32
Decals/Pre-Spaced Lettering 28
Destination/Distance Signs 22-23
Information Signs 17
Interstate/PA & U.S. Route Markers 18
Parking Signs 8-9
Reflective Overlay Sheeting 29
Regulatory Signs 3-7
Safety Signs 20-21
School Signs 19
Sheeted Sign Blanks 29
Sign Facing 27
Street Name Signs 24
Vandal Coating 27
Warning Signs 10-16
Work Zone Signs 25-26

POSTS & SUPPLIES

Asphalt Maintenance/Hand Tools 53
Fence / Erosion Control 60
Flags, Outdoor 64
Klean Break / Break Out Couplers / Tools 40
Paint / Paint Supplies 50
Post Caps / Brackets / Hardware & Accy's 34-36
Post Drivers & Accy's 44-45
Post Pullers 43
Roll-Up Signs & Stands / SM Post Bases 41
Safety / Construction Supplies 46-49
Square, QP, and Round Posts / Brackets / Tools 38-39
Stencils 51
Strapping, Brackets, Tools 42
Thermoplastic & Accy's 52
Traffic Calming Products 58-59
Traffic Safety / Guide Rail / Reflectors / Delineators 54-57
Truck Accy's / Winter Accy's 61-63
U-Channel Posts & Accy's 37

SIGNS

PA MUNICIPAL, INC.

BUILDING A BETTER TOMORROW TOGETHER



R1-1
30x30 | 36x36 | 48x48




R1-2
36x36 | 48x48



R1-2AP
24x18



R10-3B
9x12



R1-10P
24x18



R1-5L
36x36



R2-1
24x30 | 30x36 | 48x60



R3-3
24x24 | 36x36 | 48x48



R1-3P
18x6



R3-9DP
24x12 | 30x15 | 36x18



R3-102P
24x24 | 30x24



R3-1
24x24 | 30x30
36x36 | 48x48



R3-2
24x24 | 30x30
36x36 | 48x48



R3-4
24x24 | 30x30
36x36 | 48x48



R3-7C
30x30 | 36x36 | 48x48



R3-7L
30x30 | 36x36 | 48x48



R3-7R
30x30 | 36x36 | 48x48



R3-7-1L
30x30 | 36x36 | 48x48



R3-7-1R
30x30 | 36x36 | 48x48




R3-5L
30x36



R3-5R
30x36




R3-6LS
30x36




R3-6SR
30x36



R3-5A
30x36



R3-8B (L-L-R)
48x30



R3-8B (L-S-R)
48x30



R3-8A (L-S)
30x30



R3-8A (S-R)
30x30



R3-8A (S-SR)
30x30



R3-9A
30x36



R3-9B
24x36 | 36x48



R3-9CP
24x12 | 30x15 | 36x18



R5-2-4
24x12



R3-10
30x42 | 36x60



R10-20AP
24x12 | 24x18 | 24x24
24x30 | 30x15 | 30x24
30x30 | 30x36



R4-1
24x30 | 36x48



R4-2
24x30 | 36x48



R4-7
24x30 | 36x48



R4-8B
24x30 | 36x48



R4-106
24x30 | 36x48



R4-107
30x30



R5-1
30x30 | 36x36 | 48x48



R5-1A
36x24 | 48x30



R5-2
24x24 | 30x30
36x36 | 48x48



R5-2-3
24x18 | 36x30 | 48x36



R5-3
24x24



R5-101
24x30



R5-6
24x24 | 30x30



R6-1R
36x12 | 54x18



R6-1L
36x12 | 54x18



R6-2L
18x24 | 24x30 | 30x36



R6-2R
18x24 | 24x30 | 30x36




R6-6
24x30
30x36



R6-7
24x30 | 30x36



R7-201AP
12x6



R7-301
12x6 | 24x12 | 36x18



R7-203-1
18x24



R8-3HP-1
12x12 | 24x18



R8-3
12x12 | 24x24
36x36 | 48x48



R9-3
18x18 | 24x24



R9-9
24x12 | 30x18



R9-10
24x12 | 48x24



R9-11A
24x12 | 48x24



R10-10L
30x36



R10-10R
30x36



R10-6AL
24x30



R10-6AR
24x30



R10-101
24x30 | 30x36



R10-12
30x36



R10-11
24x30 | 30x36
36x48



R11-2
48x30




R11-2-1
48x30



R11-3A
60x30



R11-4
60x30



R10-7
24x30



R12-1
24x30 | 36x48



R12-1A
36x30



R7-100
24x24 | 48x48



W16-103P
24x18 | 36x24



R12-1-2
24x12 | 36x12



R12-1-4
24x18 | 36x24



R12-5A
24x18 | 36x24



R14-1
24x18



R14-9
30x36



R14-9A
36x30



R15-1
48x9



R16-1
36x36



R7-1B
12x18



R7-1C
12x18



R7-2
12x18



R7-4A
12x18



R7-6-1
12x18



R7-6B
12x18



R7-302
12x18



R7-7B
12x18



R7-7D
12x18



R7-8A
12x18



R7-2B
12x18



R7-9B
12x18



R7-9C
12x18



R7-11
12x18



R7-11A
12x18



R7-12
12x18



R7-13
12x18



R7-14
12x18



R7-14A
12x18



R7-16
12x18



R7-20A
12x18



R7-203-2
12x18



R7-9A
12x18



NP-1
12x18



NP-2
12x18



NP-3
12x18



NP-60
12x18



D9-6B
12x18



R8-3
12x12 | 24x24
36x36 | 48x48



R7-107A
12x24



R7-36
12x18



R7-37
12x18



R7-40
12x18



R7-42
12x18



R7-43
12x18



R8-18
12x18



R8-25
18x12



R7-8
12x18



R7-8P
12x6



R7-8F
12x18



R8-30
12x18



R8-32
12x18



R8-51
12x18



R8-14A
12x18



R8-36
12x18



R7-15G
12x18



R7-2FM
12x18



R7-8HI
12x18



D4-1
18x15 | 30x24



W1-1L
30x30 | 36x36 | 48x48



W1-1R
30x30 | 36x36 | 48x48



W1-2L
30x30 | 36x36 | 48x48



W1-2R
30x30 | 36x36 | 48x48



W1-10L
36x36 | 48x48



W1-10R
36x36 | 48x48



W1-3L
30x30 | 36x36 | 48x48



W1-3R
30x30 | 36x36 | 48x48



W1-4L
30x30 | 36x36 | 48x48



W1-4R
30x30 | 36x36 | 48x48



W1-5L
30x30 | 36x36 | 48x48




W1-5R
30x30 | 36x36 | 48x48



W1-5-1
36x36



W1-6
48x24 | 96x48



W1-7
48x24 | 96x48



W1-8
18x24 | 24x30
30x36 | 36x48



W1-11L
30x30 | 36x36 | 48x48



W1-11R
30x30 | 36x36 | 48x48



W2-1
30x30 | 36x36 | 48x48



W2-2
30x30 | 36x36 | 48x48



W2-3L
30x30 | 36x36 | 48x48



W2-3R
30x30 | 36x36 | 48x48



W2-3-1L
30x30 | 36x36 | 48x48



W2-3-1R
30x30 | 36x36 | 48x48



W2-4
30x30 | 36x36 | 48x48



W2-5
30x30 | 36x36 | 48x48



W3-1
36x36 | 48x48



W3-2
36x36 | 48x48



W3-3
36x36 | 48x48



W3-5
36x36 | 48x48



W4-2L
36x36 | 48x48



W4-2R
36x36 | 48x48



W9-2L
30x30 | 36x36 | 48x48



W9-2R
30x30 | 36x36 | 48x48



W5-1
36x36



W5-1-1
36x36



W5-2
36x36 | 48x48



W5-3
36x36 | 48x48



W5-3A
36x36 | 48x48



W6-1
36x36 | 48x48



W6-3
36x36 | 48x48



W7-1
30x30 | 36x36 | 48x48



W8-1
30x30 | 36x36



W8-2
30x30 | 36x36



W8-3
36x36



W8-4
30x30 | 36x36



W8-5
30x30 | 36x36 | 48x48



W8-7
30x30 | 36x36



W8-8
30x30 | 36x36



W8-9
30x30 | 36x36



W8-14
30x30 | 36x36 | 48x48



W8-13
36x36 | 48x48



W8-13B
36x36 | 48x48



W8-18
36x36



W17-1
30x30 | 36x36



W8-104
36x36 | 48x48




W8-105
36x36 | 48x48




W10-5
36x36




W10-1
36" | 48"



W10-2
36x36 | 48x48



W10-3
36x36 | 48x48



W10-4/W10-4A
36x36 | 48x48



W11-2B
30x30 | 36x36



W11-1
30x30 | 36x36



W11-2
30x30 | 36x36



W11-3
30x30 | 36x36 | 48x48



W11-4
30x30 | 36x36



W11-5
30x30 | 36x36



W11-7
30x30 | 36x36



W11-8
30x30 | 36x36



W11-8-2
30x30 | 36x36



W11-9
30x30 | 36x36



W11-10
30x30 | 36x36 | 48x48



W11-10-1
30x30 | 36x36



W11-14
30x30 | 36x36



W11-12
30x30 | 36x36



W11-13
30x30 | 36x36



W11-101
30x30 | 36x36



W11-102
30x30 | 36x36



W11-2A
30x30 | 36x36



W11-103
30x30 | 36x36



W11-6-1
30x30 | 36x36



W11-108
30x30 | 36x36



W11-25
30x30 | 36x36



W11-26
30x30 | 36x36



W11-11
30x30 | 36x36

OM1-3
18x18



OM4-3
18x18



W13-1P
18x18 | 24x24
30x30



W7-3AP
24x18 | 30x24



W16-4P
30x24



W14-11
18x18



W12-2
36x36 | 48x48



W12-1
36x36



W15-1
30x30 | 36x36



W15-2
30x30 | 36x36



W14-2
30x30 | 36x36



W14-2-1
36x36



W16-101
30x30 | 36x36



W14-5
30x30 | 36x36



OM-3R & OM-3L
12x36 | 18x36



R12-1
24x30 | 36x48



W16-103P
24x18 | 36x24



W12-2A
78x24 | 84x24 | 90x24



W4-4P
30x15 | 36x18



W4-4APL
30x15 | 36x18



W4-4BP
30x15 | 36x18



W4-4APR
30x15 | 36x18



W14-3
36x48



I-8
24x24



I-7
24x24 | 30x30



D11-1
24x18 | 30x24



I4-1-2
24x12 | 30x15



I14-5
24x18

I-14 littering signs are normally the type of anti-littering signs used on conventional highway entry points to the commonwealth. The signs may also be used in areas of concentrated tourism or scenic beauty where littering is especially to be discouraged; at pull-off areas and other sites that maybe be prone or susceptible to littering due to a combination of factors such as (remoteness of location, proximity to commercial and at a reasonable number of other locations for public education).



CS-1
12x18 | 18x24



I14-2
30x30 | 36x36



I14-4
30x24



I14-1
48x30



I14-6A
24x30 | 30x36



I14-6
96x48



I10-1
36x12



I10-2
36x12



I10-3
36x12



I10-4
36x12



I43-2
36x12 | 48x18



I43-1
36x8 | 48x8



D9-2
24x24 | 30x30



I40-2
36x18 | 48x24



I10-5
36x12



M1-1
24x24 | 30x24
36x36 | 45x36



M3-1-1
24x12 | 30x15



M3-2-1
24x12 | 30x15



M3-3-1
24x12 | 30x15



M3-4-1
24x12 | 30x15



M2-1-1
21x15 | 30x18



M5-1-1L
21x15 | 30x18



M5-1-1R
21x15 | 30x18



M5-2-1L
21x15 | 30x18



M5-2-1R
21x15 | 30x18



M4-5-1
24x12 | 30x15



M6-2-1R
21x15 | 30x18



M6-3-1
21x15 | 30x18



M6-1-1
21x15 | 30x18



M6-2-1L
21x15 | 30x18



M3-1
24x12 | 30x15



M3-2
24x12 | 30x15



M3-3
24x12 | 30x15



M3-4
24x12 | 30x15



M5-1L
21x15 | 30x18



M5-1R
21x15 | 30x18



M5-2L
21x15 | 30x18



M5-2R
21x15 | 30x18



M6-1
21x15 | 30x18



M6-2L
21x15 | 30x18



M6-2R
21x15 | 30x18



M6-3
21x15 | 30x18



M4-4
24x12 | 30x15



M4-5
24x12 | 30x15



M4-6
24x12 | 30x15



M1-4
24x24 | 30x24
36x36 | 45x36



M1-5
24x24 | 30x24
36x36 | 45x36



M2-1
21x15 | 30x18



S3-2
30x30 | 36x36 | 48x48



S3-1
30x30 | 36x36 | 48x48



S3-3
30x30 | 36x36 | 48x48



S1-1
30x30 | 36x36 | 48x48



W15-2
30x30 | 36x36



W11-2
30x30 | 36x36



W11-1
30x30 | 36x36



S4-5
30x30 | 36x36 | 48x48



S4-3P
24x8 | 36x12



W16-4P
30x24



W16-7P
24x12 | 30x18



R2-1
24x30 | 30x36 | 48x60



S4-4P
24x10 | 36x18



POST DELINEATORS
2x60 | 3x60



S5-2
24x30 | 36x48



R10-20AP
24x12 | 24x18 | 24x24 | 24x30
30x15 | 30x24 | 30x30 | 30x36



DF-2
18x24



DF-3
18x24



DF-1
18x24

Civic & Safety Signs

Protect your neighborhood from crime. Neighborhood Crime Watch programs are growing to be a deterrent to crime and a welcomed assistance to law enforcements agencies. Shown are just a few of the sign designs used as a part of these programs.



CS-14
18x24



CS-15
12x18



N-2
18x24



N-4
24x18



N-1
18x24



N-3
18x24



CS-12
18x24



CS-13
18x24



CS-4
18x24

Fire Safety Signs
























Miscellaneous Signs

SNOW ROUTE





VIDEO SURVEILLANCE





TOWING





NO SMOKING





OSHA & Safety Signs



NO SMOKING IN THIS AREA
LOW CLEARANCE
SAFETY GLASSES MUST BE WORN AT ALL TIMES
HARD HATS REQUIRED



NO SMOKING OR OPEN FLAMES
HIGH VOLTAGE
NO TRESPASSING KEEP OUT
RESTRICTED AREA



AUTHORIZED PERSONNEL ONLY
EMPLOYEES ONLY
KEEP DOOR CLOSED
NO ADMITTANCE




CONTAMINATED AREA
EXPLOSIVES
POISON GAS
RESTRICTED AREA























Civic & Safety Signs



CS-17
12x18



CS-2
12x18



CS-5
12x18



CS-18
12x18



CS-19
12x18



CS-20
12x18



CS-3
18x12



CS-6
18x24



18x24

Add your own custom message!



D1-1
Single-Line Destination Sign
48x8 | 72x12



D1-1A
Single-Line Destination Mileage Sign
48x8 | 72x12



D1-2
Double-Line Destination Sign
48x16 | 72x24



D1-2A
Double-Line Destination Mileage Sign
48x16 | 72x24



D1-3
Triple-Line Destination Sign
48x24 | 72x36



D1-3A
Triple-Line Destination Mileage Sign
48x24 | 72x36



D2-1
Single-Line Distance Sign
48x8 | 72x12



D2-2
Double-Line Distance Sign
48x16 | 72x24



D2-3
Triple-Line Distance Sign
48x24 | 72x36



D3-2
Single-Line Advance Street Name Sign
48x8 | 72x12



D3-3
Double-Line Advance Street Name Sign
48x16 | 72x24



D3-4
Single-Line Overhead Street Name Sign
Var x 12 | Var x 16 | Var x 24



D3-5
Single-Line Overhead Street Name Sign
Var x 21 | Var x 28 | Var x 32 | Var x 42



D7-4
Attraction Sign
48x16 | 72x24



6" Flat



6.75" Extruded



9" Flat



If 9", specify one sided back to back or double sided?

9" Extruded



Extruded signs are available with holes or no holes and DO NOT have radius corners.

12" Flat





On streets with speed limits of 25 mph or less, letter size can be as small as 4 inches for uppercase and 3 inches for lower case letters.

TYPE OF MOUNTING	TYPE OF STREET OR HIGHWAY	SPEED LIMIT	RECOMMENDED MINIMUM LETTER HEIGHT	
			INITIAL UPPER-CASE	LOWER-CASE
Overhead	All types	All speed limits	12 inches	9 inches
Post-mounted	Multi-lane	More than 40 mph	8 inches	6 inches
Post-mounted	Multi-lane	40 mph or less	6 inches	4.5 inches
Post-mounted	2 lane	All speed limits	6 inches	4.5 inches

Things to consider before placing your order:


- Flat or extruded?
- 6", 6.75" or 9"?
- Background color?
- Text color?
- Quantity?
- One or two sided?







Extruded Aluminum:
Standard Gauge: .091
Standard Sizes: 6.75" and 9" x variable widths



Flat Aluminum:
Standard Gauge: .080
Standard Sizes: 6" and 9" x variable widths

All PA Municipal Signs are produced in the USA at our Huntingdon, Pennsylvania facility and we have been serving the industry since 1967. We also provide sign posts and all of the necessary sign-related hardware to provide one-stop service.



M4-10L
48x18



M4-10R
48x18



M4-10S
18x48



W21-14
36x36 | 48x48



W25-5
36x36 | 48x48



M4-9R
30x24 | 48x36



M4-9L
30x24 | 48x36



G20-2
60x24



M4-9SL
30x24 | 48x36



M4-9SR
30x24 | 48x36



M4-9S
30x24 | 48x36



M4-8A
24x18 | 36x30



W20-2
36x36 | 48x48



W21-2-1
30x30



W23-102
36x36



W23-103
36x36



W20-3
36x36 | 48x48



W20-4
36x36 | 48x48



W20-5R
36x36 | 48x48



W20-5L
36x36 | 48x48



W9-3
36x36 | 48x48



W20-7
36x36 | 48x48



W20-10A
36x36 | 48x48



W21-2
30x30 | 36x36



W20-1
36x36 | 48x48



W21-5-1
36x36



W21-102
36x36 | 48x48



W21-9A
30x30 | 36x36 | 48x48



W21-18
36x36 | 48x48



W21-16
36x36 | 48x48



G20-5AP
24x18 | 36x24 | 48x36



MV-1
36 x 12 | 60 x 24

Sign Facing



PA Municipal can supply your shop with all of the necessary materials you need for do-it-yourself signs. We produce the sign faces according to legal specifications and you apply them to your blanks as you need them.





Vandal Coating & Anti-Vandal Spray







Nikkalite clear overlay films provide a highly durable, solvent resistant film that can be used for outdoors for 10 years or more. It has superior UV-resistance and UV-absorbency so durability of the substrate also increases. The film is resistant to staining and almost all types of solvent. The film acts as a barrier to spray paint and surface contamination and can easily be cleaned with a solvent wipe.

When applied as a protective transparent overlay film on a retro-reflective sign, the sign will have a longer performance life. The sign will also be easier to maintain because surface contamination such as stains, graffiti and bills on the film can be easily removed.




Anti-Vandal Spray
A clear spray blend of solvents that removes stubborn marks including paint, ink and crayon from a variety of surfaces.





Protective Overlay Film
- Provides superior UV protection against fading
- Helps prevent scuffs and abrasions
- Makes graffiti removal easier





Truck Decals/Pre-Spaced Lettering

PA Municipal can produce your basic or custom decals in either reflective or non-reflective material. Shown are just a few of the most common formats. Many others are available upon request. Provide us with a sample decal, design or drawing and indicate the size.









Vehicle Decals & Magnets









Miscellaneous

OVERSIZE LOAD

Metal Folding E/G with Protective Film Oversize Load Sign
72″ x 12″ or 84″ x 18″





Tailgate Striping



Avery Conspicuity Tape

Roll Goods

Avery High-Intensity Prismatic (HIP), Omni-View, Omni-Cube

- Offers exceptional value in a 10-year durable material
- Omni-Directional
- High Intensity micro prismatic retroreflective performance
- Field proven long term durability on safety devices worldwide
- Uniform daytime and nighttime visual appearance
- Available in red, blue, yellow, orange, white and green



Close-Up View





Also available in 18', 24', 30", 36", 48" wide rolls

Overlay Film in Assorted Colors

Available in the following sizes: 18", 24", 30", 36", 48"



(Black is non-reflective)

Sheeted Blanks & Border Blanks



Sheeted aluminum signs are available in your choice of colors, sizes and quantities. All of the standard blank sizes are available. Choose from engineer grade, high intensity or diamond grade sheeting. If you require border blanks, choose your color combination.

Barricade Supplies

Pre-Striped Barricade Sheeting

- High Intensity Prismatic red and white barricade sheeting
- High Intensity Prismatic orange and white sheeting for plastic applications



PA MUNICIPAL, INC.

BUILDING A BETTER TOMORROW TOGETHER

Aluminum Blanks



Square

Size	Gauge	Weight
12" x 12"	.063"	.89lb
18" x 18"	.080"	2.54lb
*24" x 24"	.080"	4.52lb
*30" x 30"	.080"	7.06lb
*36" x 36"	.100"	12.70lb
*48" x 48"	.100"	22.58lb

*Universal Hole Punch



Triangle

Size	Gauge	Weight
36" x 36"	.080"	4.11lb
48" x 48"	.100"	9.05lb




Pentagon

Size	Guage	Weight
30" x 30"	.080"	5.10lb
36" x 36"	.100"	9.00lb



Size	Gauge	Weight
10" x 7"	.040"	.27lb.
14" x 10"	.040"	.55lb
12" x 6"	.063"	.44lb.
9" x 12"	.063"	.67lb.
* 12" x 18"	.063"	1.33lb.
12" x 36"	.080"	1.69lb.
18" x 6"	.080"	3.69lb.
18" x 12"	.080"	.85lb.
* 18" x 24"	.080"	1.69lb.
21" x 15"	.080"	3.39lb,
24" x 12"	.080"	2.47lb.
* 24" x 30"	.080"	2.26lb.
30" x 18"	.080"	5.64lb.
24" x 36"	.080"	4.23lb.
24" x 36"	.100"	8.47lb.
24" x 48"	.100"	11.29lb.
30" x 36"	.100"	10.58lb.
30" x 48"	.100"	14.11lb.
36" x 12"	.100"	4.23lb.
36" x 18"	.100"	6.35lb.
60" x 24"	.100"	14.11lb.
60" x 36"	.100"	21.17lb.

*Universal Hole Punch



Octagon

Size	Gauge	Weight
24" x 24"	.080"	3.47lb
30" x 30"	.080"	5.85lb
36" x 36"	.100"	10.52lb



Flat Street Blades

Size	Gauge	Weight
18" x 6"	.080"	.085 lb.
24" x 6"	.080"	1.13 lb.
30" x 6"	.080"	1.41 lb.
36" x 6"	.080"	1.69 lb.
24" x 9"	.080"	1.69 lb.
30" x 9"	.080"	2.12 lb.
36" x 9"	.080"	2.54 lb.
42" x 9"	.080"	2.96 lb.

Available with or without holes for one-sided post mounting




Extruded Street Blades

Size	Gauge	Weight
18" x 6.75"	.091"	1.52 lb.
24" x 6.75"	.091"	2.02 lb.
30" x 6.75"	.091"	2.52 lb.
36" x 6.75"	.091"	3.03 lb.
24" x 9"	.091"	2.48 lb.
30" x 9"	.091"	3.10 lb.
36" x 9"	.091"	3.72 lb.
42" x 9"	.091"	4.34 lb.

Available with or without holes for vandal-proof hardware

Economy Coroplast Signs



These corrugated plastic signs are ideal for temporary signage, indoors or outdoors. The step-stake (pictured left) slides into the flutes of the sign for easy installation.

- No tools required
- Step-stake sold separately
- Available in other colors by special order
- Specify direction of flute for vertical or horizontal signs







Custom Banners





- Made from 13 oz. material
- Up to 30" width x any length
- Horizontal or vertical
- Includes grommets
- Printed or cut vinyl (depending on graphics)

Large Format Digitally Printed Signs



If a picture is worth a thousand words, image what a large format, digitally printed, colorful sign will say for your business or upcoming event. We are bombarded with signs everyday and everywhere we go. In order to make a statement, your sign has to stand out!

Large format digitally printed signs are great for:

- Large, multi-color signs
- Banners
- Window graphics
- Event signs
- Posters
- Yard signs

Custom Aluminum Signs

Make your business stand out from the rest with a high quality, custom made sign. Provide your own design and graphics or let our graphic department design it for you. PA Municipal's custom signs are manufactured using heavy-gauge aluminum panels designed for long term outdoor use, making them durable and maintenance free.









Custom Vinyl Wall Decals



Customize your walls in 5 easy steps:

1. Create your own design or let us help.
2. Choose a custom size for your decal.
3. We'll print your design or photo on adhesive vinyl.
4. Display your decal on any smooth, hard surface.
5. Don't like the placement? The decal can easily be removed and reapplied without ripping or peeling!

POSTS & SUPPLIES

PA MUNICIPAL, INC.

BUILDING A BETTER TOMORROW TOGETHER


U-Channel Post Caps

120UCF180 for Flat Signs
120UCX180 for Extruded Signs




- 12″ Wide Slot 180°
- Fits signs 30″ - 42″
- Includes 5/16″ set screws and hex bolts

120UCF090 for Flat Signs
120UCX090 for Extruded Signs




- 12″ Wide Slot 90°
- Fits signs 30″ - 42″
- Includes 5/16″ set screws and hex bolts

512UCF180 for Flat Signs
512UCX180 for Extruded Signs



- 5 1/2″ Wide Slot 180°
- Fits signs 18″ - 30″
- Includes 5/16″ set screws and hex bolts

512UCF090 for Flat Signs
512UCX090 for Extruded Signs



- 5 1/2″ Wide Slot 90°
- Fits signs 18″ - 30″
- Includes 5/16″ set screws and hex bolts

Cantilever Arm Brackets




160EWB000 for Flat or Extruded Signs
16″ Bracket



140EWBEXT Extension for Flat or Extruded Signs
18 1/2″ Blade Holder Length

Square or Round Universal Post Caps

With universal post caps you no longer need to carry both round and square post caps, ultimately reducing your inventory needs.




120UNF200 for Flat Signs
120UNX200 for Extruded Signs
For 2″ Square or 2 3/8″ Round Post with 12″ Wide Slot



512UNF200 for Flat Signs
512UNX200 for Extruded Signs
For 2″ Square or 2 3/8″ Round Post with 5 1/2″ Wide Slot

Cross Pieces



120CPF090 for Flat Signs
120CPX090 for Extruded Signs
- 12″ Wide Slot 90°
- Fits signs 30″ - 42″



512CPF090 for Flat Signs
512CPX090 for Extruded Signs
- 5 1/2″ Wide Slot 90°
- Fits signs 18″ - 30″

Other Post Accessories

PPB-15

HD Alum. U-Clamp bracket for 2 3/8" pipe posts



Includes:
- 2 Bolts
- 2 U-Bolts
- 4 Hex Nuts
- 4 Split Lock Washers

312EWB000



3 1/2" Cantilever Wing Bracket

CAB100: FIts 12"x18" and 18"x24"
CAB200: Fits 18"x24" and 24"x30"
Sold in pairs of two to mount two opposing chevron signs to one post. Hardware included.



UNIV457F for Flat Signs
UNIV457X for Extruded Signs
Universal bracket extends straight or 45°



120CPFADJ / 120CPXADJ
12" adjustable cross
Fits signs 30" - 42"
5/16" set screws & 5/16" hex bolts included



RNCAP200SQ Rain Cap
For 2"x2" square post



RNCAP238RP-DM Rain Cap
For 2.375" round post



Post Driver



N08
Post Driver for U-Channel, Square, or Round

Diameter: 3-1/4"

Length: 65"

Weight: 38 lb

Slide Hammer



PASH1
Universal Slide Hammer



PADC200225M-KSI
Drive cap sq 2.25" for universal slide hammer

PADC175200M-KSI
Drive cap sq 2.00" for universal slide hammer

Mounting Hardware

VP Bolt
Button head prison bolt,
5/16"x18 x 1" w/3/16" hex center pin



SK56 set screw
5/16"-18x1/2" knurled point, steel



B-VPSS51638-MS vandal proof set screw
5/16"-18x3/8"knurled point, steel,
with a 5/32" pinned hex recess




VPA12
Vandal proof 12-point bolt, 5/16" x 1/2",
aluminum



125690
Steel Drive Rivet (3/8")




C11055
Nylon Washer for Drive Rivet



Two Part Aluminum Pop Rivets:
SMRA25-34:
For 2-in. square posts

SMRA25-26:
For 2-lb. & 2.5-lb. u-channel posts



PVCSP175
Spacer PVC 1 3/4" for 2" sq. post

PVCSP150
Spacer PVC 1-1/2" for 1-3/4" post



One Way Bolt Kit 2.5 in. w/ Breakaway Nut
Also sold seperately:



One Way Bolt 5/16 in. x 2-1/2 in.
Breakaway Nut 5/16 in.




Slot Head Bolt Kit 5/16 in. x 2-1/2 in.
Slot head bolt 5/16 in. x 2-1/2 in.
with 5/16 in. flanged nut






Hex Head Bolt 5/16 in. x 2-1/2 in. Aluminum
Hex Head Bolt 5/16 in. x 3 in. Aluminum
Washer 5/16 in. Aluminum
Hex Head Nut 5/16 in. Aluminum


Each item sold separately or together as kit



SIGN SAVER 3X3
Aluminum 3" x 3"



TB25 Tufnut Bolt



TN31 Tufnut



TW31 Tufnut Washer



Tools

VCT238
ONE WAY BOLT REMOVAL TOOL
A special screwdriver w/ two tungsten
carbide tips mounted at a back angle to engage the sloping surfaces of a one way bolt



Part #010-021500
Rivet Gun, used to install #34 & #26 pop rivets




VCT326
Rivenator Drive Rivet Removal Tool
Quick & Easy to Use
Use a hammer to punch the pin from the body & extract the rivet from the post.



VCT326T
Rivenator Tool Replacement Tip



T-VP-532 Tool
Tool works with standard vandal proof set screws or button head bolts having a 5/32" hex center pin.



T100 Allen Wrench Tool
Tool works with standard set screws having a 5/32" socket.
Hollow-body design also works with the B-VPSS51638-MS vandal proof set screw.



T-12 P-MS
Tool for 12-point bolt steel, zinc finish
5/16-18x1/2" for VPA12



MADE IN AMERICA

Marion-Nucor U-Channel Posts & Anchors





Weight: 1.12 lbs. Size: 6.5 ft.
Green or Galvanized Finish

Weight: 2 lbs. Size: 3.5 ft.
Green Finish

Weight: 2 lbs. Size: 6 ft.
Green Finish

Weight: 2 lbs. Size: 8 ft.
Green Finish

Weight: 2 lbs. Size: 9 ft.
Green Finish

Weight: 2 lbs. Size: 10 ft.
Green Finish

Weight: 2 lbs. Size: 11 ft.
Green Finish

Weight: 2 lbs. Size: 12 ft.
Green Finish

Weight: 2.5 lbs. Size: 3.5 ft.
Green or Galvanized Finish

Weight: 2.5 lbs. Size: 8 ft.
Green or Galvanized Finish

Weight: 2.5 lbs. Size: 9 ft.
Green or Galvanized Finish

Weight: 2.5 lbs. Size: 10 ft.
Green or Galvanized Finish

Weight: 2.5 lbs. Size: 12 ft.
Green or Galvanized Finish

U-Channel Power Cap



Part #: 9245-9830-20
Flange channel post driver head
for u-channel 2-4#

Manual Drive Caps



Part #: BIG BOY DRIVE CAP
Big Boy drive cap for 3# and 4# post

Part# DRCAP-U-J
Jumbo Drive Cap for 2# - 4# post



Part #: H881120
Big Boy Jr. for 2# and 2 1/2# post



Part # DCDL
Delineator Drive Cap for 1.12# and 1.33#

MADE IN AMERICA

Marion-Nucor Lap Splice Systems

Part # H881400
For 2 lb. & 2.5 lb. u-channel

Part # H881405
For 3 lb. & 4 lb. u-channel

Includes
- 1 Spacer Bar
- 2 Washers
- 2 Grade 9 Bolts
- 2 Self Lock Nuts




Part #: H881445S
Lap Splice Hardware (100 ea. bolts, nuts & washers)


Franklin Industries U-Channel Hardware

EZE-Erect

UCEZEE-STRAP-EZ
Galvanized Spacer
Strap

EZE Bolt Kit 2 in:
- 5/16" x 2" Grade 9 Flanged Bolts
- Flanged Nuts
- Lockwashers





Base-Bolt

Part # HBBSPACERI
Spacer, Zinc plated,
1" x 6.25", 4.38" hole w/
elastometer insert
(200 per box)

Part # FRANKLIN BASE
BOLT HARDWARE
Gr 9 base bolt hardware
(Bolt, nut, and washer)
(200 per box)

Telespar Square Fit Pre-Punched Posts

Complies with Buy America Requirements



GAUGE	LENGTH	O.D.
14	8 ft.	1.75 & 2 in.
14	9 ft.	2 in.
14	10 ft.	1.75, 2 & 2.25 in.
14	12 ft.	1.75, 2 & 2.25 in.
14	14 ft.	2 in.
12	9 ft.	1.5 in.
12	10 ft.	1.5 in.
12	20 ft.	1.5, 1.75 & 2 in.
12	24 ft.	1.5, 1.75, 2 & 2.25 in.
12	1.5 ft.	2.50 in.
12	2.5 ft.	2, 2.25. & 2.50 in.
12	3 ft.	2, 2.25. & 2.50 in.

Telespar Qwik-Punch w/Die-Cut Knockouts

Complies with Buy America Requirements



GAUGE	LENGTH	O.D.
14	8 ft.	2 in.
14	10 ft.	2 in.
14	12 ft.	2 in.

- 7/16" diameter knock-out holes on 1 in. centers on all four sides
- Plugs are easily removed with any hammer and flat punch or use a slug punch tool (Part# SP8-4375) and hammer



Telespar Ground Hog Anchor

GAUGE	LENGTH	O.D.
12	30"	2.25"
12	36"	2.25"



Breakaway Systems



Anchor Base
14 gauge upright w/ 12 gauge anchor




Direct Embedded
12 or 14 gauge direct drive



Yielding Breakaway
12 gauge upright w/ 12 gauge anchor and 12 gauge 18 in. sleeve


Sign Hardware

Aluminum Hex Head Bolt
5/16" x 2 1/2" or 5/16" x 3"





Aluminum Washer
5/16"



Aluminum Hex Head Nut
5/16"

One-Way Bolt Kit
2.5" w/ Breakaway Nut
Also Sold Separately





125690
Steel Drive Rivet
3/8"



C11055
Nylon Washer for Drive Rivet

Corner Bolt Kit

Corner Bolt Kits
Small: Fits 1.75" & 2" square
Large: Fits 2.25" & 2.50" square

Kit includes flanged nut 5/16"

Corner bolt and flanged nut can also be purchased separately






Telspar Round Post

Complies with Buy America Requirements




- Gator shield galvanized finish
- 13 gauge
- 10 and 12 ft. lengths

Connector Brackets



TL015-Z



TL016-Z



TL017-Z



TL019-Z



TL018-Z



TL020-Z



TL09_-Z


PART #	DESCRIPTION	WEIGHT
TL015-Z	T-Fitting	.50 #
TL016-Z	L-Fitting	.63 #
TL017-Z	Anti-Rotation Fitting	.33 #
TL018-Z	Straight Fitting	.84 #
TL019-Z	45 Degree Offset Fitting	.26 #
TL020-Z	90 Degree Fitting	.26 #
TL092-Z	3/8" Gravity Lock Pin Through 2"	.26 #
TL094-Z	3/8" Gravity Lock Pin Through 2 1/2"	.29 #

Standard package 25 per box

Barricade Brackets



Part #: TBB3-Z
Collapsible barricade plate
20 each/box



Part #: TBB3A-Z
Collapsible barricade assembly - two plates & required hardware to connect one upright to one foot
10 sets/box

Installation Tools

Drive Shanks
For use with air or gas powered drivers

B01200	7/8" x 4 1/4" Tapered Fit
B21200	1" x 4 1/4" Tapered Fit
B31200	1 1/8" x 6" Tapered Fit
B41200	1 1/4" x 6" Tapered Fit



Manual & Power Drive Caps


MANUAL PART #	POWER PART #	DESCRIPTION
9245-9820-21	9245-9820-20	For 2 in. Anchor
9245-9820-31	9245-9820-30	For 2.25 in. Anchor
9245-9820-41	9245-9820-40	For 2.50 in. Anchor



Redi-Torque Model 280


FHWA Accepted Torqueless Bolt for Slip Base Sign Supports

- Triangular, Multi-directional Slip Base System
- Product allows for Redi-Torque Bolts to be properly tightened without a torque wrench, while providing necessary holding strength for the post they are supporting.
- Ease of reinstallation in high impact areas, without the need for a torque wrench.
- Allows break-away performance in accordance with FHWA and NCHRP 350 requirements.
- Product works with omni-directional and bi-directional Slip Base Systems for square or round sign posts.



Break-Out Coupler


- Incorporating the patented Tri-Circular engineered 360 degree shear section, the Break-Out coupler will breakaway at 90% of the post strength when impacted from any angle or height even direct wheel, plow or undercarriage hits will not affect the post anchor with Break-Out.
- The Break-Out will withstand high wind loads without weakening.
- Fasteners and fastener torque level have no effect on Break away feature which is preset, and does not incorporate shear pins.
- Breaks Flush with grade (plugs hole) which prevents under carriage or plow/mower damage as well as pedestrian trip-fall incidents.
- Wedge-Lock feature applies enormous force to lock the coupler inside the anchor.
- Knocked down posts can be repaired with simple hand tools in minutes eliminating post pullers, drivers, or saws.



Full Assemblies (Square)

Part #: 193014 (BOS134-14C)
Break-Out Square 1-3/4" 14 GA

Part #: 193017 (BOS200-14C)
Break-Out Square 2" 14 GA




Full Assemblies (U-Channel)

Part #: 193025 (BOU-200A)
Break-Out 2 lb. & 2.5 lb. U Coupler

Part #: 193026 (BOU-300A)
Break-Out 3 lb. U Coupler




Full Assemblies (Round)
Part #: 193012 (BOR238-1316C)
Break-Out Round 2-3/8" 13-16 GA



Part #: 192415 (SM1-200)

Kleen Break Model 425




FHWA Accepted Shear Bolt Sign Post Coupler

- Product is a 360 degree indexable, surface mountable sign post coupler for Telespar sign posts.
- Product allows for high impact sign support installations to break away upon impact, while providing quick inexpensive reinstallation without the need for a new anchor.
- All parts of Kleen Break are typically reusable after impact except the Shear Bolt Set.
- Product can be mounted on top of existing concrete, Flush Mount installed into concrete for flush breakaway in pedestrian locations, or soil mounted in firm soil.

Part #: XKBSM42520-G

Surface Mount Kleen Break Assembly for 1-3/4" and 2" square post (existing concrete).



Part # XKB42520-G

Stem Mount Kleen Break Assembly with 8" stem base imbedded flush mount for new concrete





Part #: SBH5840-Z
5/8" - 11x4" Model 425 Shear Bolt w/ Hardware



Part #: RB30-EPDM
3" O.D. x 1.3" I.D. x 0.825" Thick Rubber Bushing



Part #: LWX35-G
Post to Coupler Locking Wedge

Part #: XKBW-SOCKET
Kleen Break Socket



Part #: XKBW-1516
Kleen Break Wrench



LDWP - Light Duty Wedge Puller



Part #: JR-58
Replacement light duty hook

Reflective Vinyl Roll-Up Signs



Part #: C-36-SBO
Reflective Super Brite (Orafol Reflexite)
Flourescent Orange SBO
Lock-Pocket
Available legends: Be Prepared to Stop, Bump, Detour "Ahead" w/Single Head Arrow Overlay, End Road Work, End Work Zone, Flagger Symbol, High Water, Mowing Ahead, One Lane Road Ahead, Road Closed, Road Closed Ahead, Road Flooded, Road Work Ahead, Uneven Pavement, Work Area Ahead
* Other legends available

Part #: C-36-SBP
Fluorescent Pink 36" Accident Ahead
* Other legends available

Part #: C-48-SBO
Reflective Superbrite Orange, 48"
* Special Order



Part #: CP-2L-KIT
Corner Pocket Kit

Includes two black lock pockets, 2 back plates & 8 pop rivets

Roll-Up Sign Stands

Part #: C-102-S-KLSH
- Temporary traffic control
- Mash approved (WZ-448)



Part #: APEX-TRI-RU

- Single coil flex spring, KL leg release, wind deflection
- Made in the USA
- Mash approved (WZ-436A)



Mid-Size Apex Dual Recoil
- Dual coil-flex springs
- Made in the USA
- FHWA approved (WZ-480)




PART #	ATTACHMENTS	ABOVE GRADE
APEX-DUAL-RECOIL-RU	Roll-Up	14-84"
APEX-DUAL-RECOIL-RG	Rigid	18-60"
APEX-DUAL-RECOIL-RU/RG	Rigid/Roll-Up	14-84"/60"

Part #: C-801-S-KLSH
Aluminum Short Leg C-Stand
- Wind deflectable
- Single coil-flex spring
- Rugged, reliable, deploy quickly and offer stability in wind gusts up to 65 mph
- NCHRP-350 accepted

Short Leg Extended: 41.5"W x 70"D x 23"H

Short Leg Folded: 9"W x 8"D x 25"H



36" & 48" Roll-Up Sign Cases

Part #: C-36-HD & C-48-HD
Heavy-duty vinyl construction. Available with or without sign legend printed on case.



Sign Bases



Part #: RF-SBSQ
Base w/ 13/4" Square Hole

Part #: RF-SBRD
Base w/ 23/8" Round Hole

- 18"D x 14"H; 71 lbs.
- Cone shaped w/three ribs
- 100% recycled tire rubber
- Withstands high winds and bad weather; low center of gravity, aerodynamic and attractive.
- Allows for rapid deployment--can be installed by one person.
- Tip and roll to move for maintenance, snow removal or storage.
- Post removable from base for storage.



Part #: PAU-CHAN
Flat Galvanized Base for U-Channel Post 10"x10"x1/4", 6" sleeve, 3/8" holes (anchor bolts sold separately)

Part #: B-AN384MS
3/8" x 4" anchor bolts steel Zinc (sold in boxes of 50 ea)



Part #: SB100UN
- 15" diameter aluminum pedestal base
- For use with u-channel, square or round posts
- Includes post install hardware (Anchor Bolts not included)



Part #: RF-SBWT
Rubberform Sign Base Weight
- Used with Rubberform sign base to increase weight of standard base to 150 lbs.
- Used with sign posts greater than 5' or signs over 24".
- Used for high wind areas.

Part #: RF-MPSQ5
5' steel perforated sign post 1.75" 14 ga

Part #: RF-PPRD5
5' round plastic post w/ yellow post cap

Part #: RF-MPSQ6
6' steel perforated sign post 1.75" 14 ga

Part #: RF-PPRD6
6' round plastic post w/Yellow post cap



Part #: ICBM-4510-200G
Indexable Concrete Barrier Mount Bracket for 2" post.
* Includes shoulder bolt, flange nut, and wedge.



Part #: CBM175-250-G
Concrete Barrier Mount for 13/4"-21/2" Telespar



Part #: PBS200SQ-G
Cast Iron Pedestal Base
for 2" Telespar
11.5" Dia



Part #: FCB175-250-G
Flat Concrete Base for 13/4" -21/2" Telespar

Part #: DCA50-Z
1/2" Drop-in Anchor Used w/ G8FB50-200-Z

Part #: G8FB50-200-Z
1/2" x 2" Gr. 8 Flange Bolt Used w/ DCA50-Z

Guide Sign Accessories



Part #: JCSETSS
J Clip Assembly Stainless Steel
Assembly includes (1) J-Clip, (1) Sq T-Bolt, (1) 5/16" Flat Washer, and (1) nut



Part #: J-Clip
JC Alloy SS clip

Part # B-SQ516200-SS
5/16-18x2, SS Square T-Bolt

Miscellaneous Hardware & Accessories




Part #: VC229-1
2-piece tamper-resistant system for square tubing for sign to post application.
5/15-18,Black Zinc, MS, 1" Head Dia.
(Sold in bags of 100 each)



Part #: VCR231
Jumbo Head Drive Rivet
MS, steel with black nylon washer.
3/8"x1/" Long with 1" Head Dia
(Sold in bags of 100 each)

Strapping, Buckles & Brackets



Stainless Steel Strapping (100 ft. each)
1230-SS: 1/2 in. 5830-SS: 5/8 in. 3430-SS: 3/4 in.




SignGrabber SG2 2" Chain Link Fence Mounting Bracket
Part #: 10898
2 1/2" SQ x 3/4" Deep
Includes 1-5/16"x3/4" tamper-proof bolt and nut
(Sold in boxes of 24 each)



Stainless Steel Buckles (100 per box)
BK12-SS: 1/2 in. BK58-SS: 5/8 in. BK34-SS: 3/4 in.



Stainless Steel Wing Seals (100 per box)
WS12-SS: ½ in. WS58-SS: 5/8 in. WS34-SS: ¾ in.



Flared Leg Strapping Bracket
Part #: PLUS + 4SS
Use with stainless steel strapping to mount signs to poles with more than a 4" diameter. Stainless steel bolt and fiber washer included.



Strapping Tool
Part #: C001
Spin tension handle, spring loaded gripper, and built-in cutter with vinyl coated handle



Strapping Buckle Bracket Assembly
Part #: BB7
Adjustable strapping bracket for 4" to 12" posts.
Hardware included.



Snap Lock Assembly
Part #: SNAPLKASSEMBLY
Stainless Steel
Size: 1/2" x 0.025" x 47"
Fastens signs, utility boxes and traffic signals to poles.

PA MUNICIPAL, INC.

Rhino MP-3 Manual Post Puller



This puller has phenomenal strength to weight ratios. At 41 lbs, the MP-3 is easily field portable and is equipped to meet most pulling needs. The MP-3 is simple to operate and is built with high grade materials, providing decades of service.

Height: 41″
Base: 9.5″ x 12″
Handle Length: 60″
Weight: Approximately 41 lbs.

071012	Post Puller MP-3 (comes w/Item 220422 & 071040)
071040	Post Grabber
220422	Chain Assembly
071041	Panel Post Grabber

JackJaw Post Extractors



With a couple pumps of the handle, stakes and posts break loose. The jaw and lever mechanism allow your pull stakes and posts straight up out of the ground without bending them, preserving the posts and stakes for hundreds of repeated uses.

	STANDARD	HEAVY DUTY
SQUARE	JJ0304	JJ0504
U CHANNEL	JJ0300	JJ0500
ROUND	JJ0305	JJ0505

Rhino PL-3 Hydraulic Post Puller



This hand operated hydraulic puller is designed to provide the power of hydraulics in an easy to use portable platform that takes all the effort out of heavy duty pulling jobs.

Height: 36.25″
Width & Length: 12″ x 12.25″
Hook Opening: 1″
Cable: 3/8″
Pulling Stroke: 17″
Weight: Approximately 53 lbs.

071000	Post Puller PL-3
071040	Post Grabber
071041	Panel Post Grabber
071042	Tent Stake Grabber

U-Jack Post Puller



- Designed to extract u-channel or square posts
- Hardened steel replaceable engagement pin (Part # 102)
- No need for chains and backhoes
- Made in the USA
- One piece, formed and reinforced base

Rhino Multi-Pro XA CP



Part #: 301014

- Accomodates the most frequently driven municipal sign posts
- Top Throttle installed for easier driving with less bending
- Fits 2-3/8" O.D. round post
- Equipped wth Rhino's CIS™ Vibration Dampening
- Padded grip for handling comfort
- Made in the USA
- Applications:
  Channel Post, 1.2 to 4 lb. w/ Slotted Chuck (included)
  Silt Fence Post w/ Slotted Chuck (included)
  Square Tube, 1-3/4" to 2-1/2" w/ Square Anchor Chuck and Drive Caps (sold separately)

Rhino Multi-Pro XA Adapters & Drive Chucks



Chuck 301425



Chuck 301159



Drive Cap 300932



Drive Cap 300958



Drive Cap 300959



Drive Cap 300960

ACCESSORIES USED FOR:	CHUCK PART #	REQUIRED DRIVE CAP PART #
1-3/4" O.D., Square Tube	301425	300932
2" O.D., Square Tube	301425	300958
2-1/4" O.D., Square Tube	301425	300959
2-1/2" O.D., Square Tube	301425	300960
Silt Fence or Snow Fence	301159	-
1.2 to 4 lbs./ft. Channel Post	301159	-

Rhino Gas Powered Driver Transport Cart



Part #: 290050

- Secure Post Driver Transport
- Mobility to and from job sites
- Easy Showroom Display for Pro Series™ Drivers
- Canvas bag attached provides storage for Pro Series™ Driver Manuals and Adaptors
- Zinc plated for corrosion resistance
- Quick and Easy Assembly
- Padded grip for handling comfort
- Large Diameter wheels for easy maneuvering
- Stands up to job site challenges and rough terrain
- Made in the U.S.A.
- Adaptable to work with any of the Rhino™ Pro Series Drivers.

(Multi-Pro™ Unit shown available separately)

Multi-Pro Service Kit | Part# 301509

SN# 5005458 or XA04598 & Below (w/ gasket)

Service Kit Includes:

O-Ring Seal for Piston and Hammer (2)..... *Part # 301610*
O-Ring Seal for Pro-Series Crankcase Cover..... *Part # 301617*
Large Retainer O-Ring Seal (2)..... *Part # 301614*
Multi-Pro Anvil O-Ring Seal..... *Part # 301615*
Chuck Tube or Sleeve O-Ring Seal..... *Part # 301618*
Multi-Pro Body Gasket..... *Part # 301710*
..... *Part # 300500*



Multi-Pro Upgrade Service Kit | Part# 301096

SN# 5005458 or XA04598 & Below

Service Kit Includes:

Anvil O-Ring Retainer..... *Part # 301097*
Anvil O-Ring Cup..... *Part # 301098*
Lower Body Sleeve..... *Part # 301099*
Lock Washer (4)..... *Part # 300750*
Lower Body Bolts (4)..... *Part # 300701*
Lower Body Bolts (4)..... *Part # 995612*





Rhino Gas Powered Driver Case
Part #: 301500

- High-density, double wall construction
- Secure, durable metal latches and hinges
- Recessed compartments
- Two molded handles
- Made in the U.S.A.

Rhino PD-55 Medium Duty Air Powered Driver



Part #: 070013
For nearly forty years, the PD-55 and its predecessor the PD-50 have been the productivity leaders in post driving. At just 54 pounds, the brutally tough PD-55 is capable of handling your toughest applications
quickly and efficiently. The PD-55 is ideally suited for driving t-posts, ground rod, tent stakes, grape stakes, delineator posts, form pins and fence posts up to 3 3/4".

Chuck Adapters



2" (50.8 mm)
Part #: 070612



2" (50.8mm) Heavy Duty
Part #: 070615



1" - 1 1/2" lbs/ft Channel Post
Part #: 070617




2" - 2 3/4" lbs/ft Channel Post
Part #: 070618



3" - 4" lbs/ft Channel Post
Part #: 070619

Square Breakaway Anchor System



Adapter
Part #: 071014

Drive Cap for 2" Square Anchor
Part #: 071007

Drive Cap for 2 1/4" Square Anchor
Part #: 071008

Drive Cap for 2 1/2" Square Anchor
Part #: 071009

U-Channel Breakaway Anchor System



Adapter
Part #: 070832

Channel Drive Cap
Part #: 070836

** Anchor Drive Caps are sold by the outside dimension of the Anchor*

Rhino PD-110 Medium/Heavy Duty Air Powered Driver



Part #: 070014
Smallest of the big drivers, the PD-110 is the perfect balance between a hand held driver and an equipment supported driver. At 109 pounds, the PD-110 is a powerhouse that will put tough jobs behind you and money in your pocket. The PD-110 is ideally suited for driving 2" to 3 1/2" pipe and tube, structural forms, pin piles, dock piles and 4 x 4 wood.

Chuck Adapters



2" (50.8 mm)
Part #: 070625



2 1/2" (63.5 mm)
Part #: 070624



1" - 1 1/2" lbs/ft Channel Post
Part #: 070628




2" - 2 3/4" lbs/ft Channel Post
Part #: 070629



3" - 4" lbs/ft Channel Post
Part #: 070630

Square Breakaway Anchor System



Adapter
Part #: 071017

2 1/4" Drive Cap
Part #: 071008

2" Drive Cap
Part #: 071007

2 1/2" Drive Cap
Part #: 071009

U-Channel Breakaway Anchor System



Adapter
Part #: 070847

Channel Drive Cap
Part #: 070836

Air Powered Post Driver Accessories



Throttle Valve Kit with 5' Hose Whip
Part #: 600000



Hose Assembly 3/4", 50 ft.
Part #: 607000




Filter-Regulator-Lubricator
Part #: 601128

FRL Carrier
Part #: 225001

Barricade Lights



PART #: 99-00411L
12V, Amber Lens, Model 400 A/C, Photocell, LED
Uses 6V Spring Terminal Batteries (not included)



PART #: 98-81088L-6A212-6DHL * 10/Case
Barricade Light Type B Amber with "L" Bracket & Detachable Head
Uses 6V Spring Terminal Batteries (not included)

PART #: 98-81088L-6R212-6DHL * 10/Case
Barricade Light Type B Red with "L" Bracket & Detachable Head
Uses 6V Spring Terminal Batteries (not included)



PART #: 212-3S DHL W/L AMBER * 6/Case
Model 212-3S Solar Assist, Type B, Amber Lens, Detachable Head
Operates on D-Cell Alkaline Batteries (not included)

PART #: 212-3S DHL W/L RED * 6/Case
Model 212-3S Solar Assist, Type B, Red Lens Detachable Head
Operates on D-Cell Alkaline Batteries (not included)



PART #: 98-81089SALB212 * 6/Case
Model 212-3 Solar, Type B, LED, (3) High Capacity NIMH Batteries, Amber Lens, "L" Bracket

PART #: 98-81089SRLB212
Model 212-3 Solar, Type B, LED, (3) High Capacity NIMH Batteries, Red Lens, "L" Bracket

PART # 01-01781G
"L" bracket / DHL series



PART #: 98-81081-6 * 10/Case
Type B, Amber Lens, Fixed Head
Uses 6V Spring Terminal Batteries (not included)

PART #: 98-81081-6R * 10/Case
Type B, Red Lens, Fixed Head
Uses 6V Spring Terminal Batteries (not included)



PART #: 98-81089-3S * 6/Case
212-3S Solar Assist, Type B, Amber Lens, Fixed Head
Operates on D-Cell Alkaline Batteries (not included)

PART #: 98-81089-3RS * 6/Case
212-3S Solar Assist, Type B, Red Lens, Fixed Head
Operates on D-Cell Alkaline Batteries (not included)



PART #: 98-81089SOLR212-3
Model 212-3 Solar, Type B, Amber Lens, Fixed Head, Solar Panel, Charges (3) High Capacity NIMH Batteries, LED Bulbs

PART #: 98-81089RSLR212-3 * 6/Case
Model 212-3 Solar, Type B, Red Lens, Fixed Head, Solar Panel, Charges (3) High Capacity NIMH Batteries, LED Bulbs



PART #: DRY1403
Battery 6V Lantern Spring Top

*Minimum Order Quantity/Case

Wireless Channelizing Sequential Device



PART #: 98-2012SMONO
PART #: 98-2012SSMON (Solar Assist)
Wireless Channeling Sequential Device

- Advanced warning.
- Increases early taper merges.
- Devices are lit continuously, with a momentary flash that sequences through the series. In the "steady burn mode," each unit surpasses Type D or Type C ITE Photometric specifications.
- Devices are synchronized via a "mesh" network using 2.4GHz RF controlled circuits, not requiring them to be within "eye sight" of each other. They communicate up to 1,000 feet away from each other, automatically positioning the LEDs.
- Operates on four "D" cell alkaline batteries (not included).
- 7" polycarbonate lenses and high-impact polyproplene housing.
- Standard yellow case; other colors available upon request.
- 10 per box.

PA MUNICIPAL, INC.
BUILDING A BETTER TOMORROW TOGETHER

Field-Adjustable Reflective Cone Bars



PART #	MIN. LENGTH	MAX LENGTH	WEIGHT	STRIPING
TCB-6-YB	46 in.	80 in.	1 lb.	8 in. yellow
TCB-10-YB	65 in.	120 in.	1.4 lbs.	8 in. yellow
TCB-6-OW	46 in.	80 in.	1 lb.	8 in. white
TCB-10-OW	65 in.	120 in.	1.4 lbs	8 in. white

- Built in Plastic Rings to Fit Over Cones
- Durable Light Weight PVC
- Engineer Grade Reflective

Traffic Cones & Collars



PART #: RS70032CT3M64, 7 lb.
PART #: RS70045CT3M64, 10 lb.

- 28" Wide Body
- Recessed Collar Area
- 4" and 6" 3M Reflective



PART #: 3M3340 6CT
6 in. Reflective Collar for 28 in. Cones

PART #: 3M3340 4CT
4 in. Reflective Collar for 28 in. Cones

Marking Tape



Yellow or White Temporary Marking Tape
- 4 in. x 50 yds.
- Engineer grade reflective
- Foil-backed tape


PART #: 17793-41-4000
Yellow

PART #:17793-10-4000
White



PART #: CBT3
3 in. x 1000 ft. "Caution" Marking Tape

Cone Signs



PART #: A100
Orange Cone Sign w/ Black Arrow
2 Directional
- All-weather ABS
- Standard legends available
- Custom signs available
- Non-reflective



PART #: SLOW



PART #: STOP
Engineer Grade Reflective



PART #: B2O2
Orange Blank with Black Border



PART #: B2W2
White Blank with Black Border

Looper Trim Line Channelizer Cone



30 lb Base



16 lb Base

- Looped handle allows for easy movement and handling of several Loopers at one time
- Made of durable bright orange low density polyethylene
- Reinforced handle design prevents cones from sticking when stacked

46244-CRU-16HIP
Cone w/(4) 4" OWOW HIP Collars and 16 lb base

46244-CRU-16DG
Cone w/(4) 4" OWOW D/G Collars and 16 lb base

46266-CRU-16HIP
Cone w/(4) 6" OWOW HIP Collars and 16 lb base

46266-CRU-16DG
Cone w/(4) 6" OWOW D/G Collars and 16 lb base

46244-CRU-30HIP
Cone w/(4) 4" OWOW HIP Collars and 30 lb base

46244-CRU-30DG
Cone w/(4) 4" OWOW D/G Collars and 30 lb base

46266-CRU-30HIP
Cone w/(4) 6" OWOW HIP Collars and 30 lb base

46266-CRU-30DG
Cone w/(4) 6" OWOW D/G Collars and 30 lb base

Safety Wear



High Visibility Classic Mesh Two-Tone Safety Vest
PART #: LUX-SSCLC2Z

- Polyester Mesh
- 2" Reflective Tape with Contrasting Trim
- Zipper Closure
- Pockets: 1 Left Inner Chest & 1 Outer Lower
- Sizing: S-5X



VALUE 2-IN-1 TWO-TONE BOMBER JACKET
PART # LUX-350-JB2

- 300 Denier Polyester Oxford with PU Coating - waterproof with sealed seams
- 2" Reflective Tape
- 2 Mic Tabs
- Zip-Out Quilted Liner-Easy On, Easy Off!
- Zipper Closure w/ Inside Storm Flap
- Roll-Away Hood
- Pockets:1 Left Chest Expandable with Flap, 2 Lower Front Fleece Lined, 1 Inside Chest Tablet Pocket, 1 Inside Lower, Sleeve Split-
- Pen/Pencil
- 25 Washes
- Sizing: S-5X

Solar Flashing Signs



*Other signs available

PART #: SOLARLEDSTOP24IN
"STOP", 24", LED Solar

PART #: SOLARLEDSTOP30IN
"STOP", 30", LED Solar

PART #: SOLARLEDSTOP36IN
"STOP", 36", LED Solar

PART #: SOLARLED30INW17-1
"SPEED HUMP", 30" LED Solar

PART #: SPEEDLIMIT25SOLARFLASH
"SPEED LIMIT", 25", 24"x30" LED Solar

PART #: PEDAREASOLARFLASH
Ped Area, W11-2, 36"x36", D/G FL Y/G, LED Solar

Safety Flags



- PART #: 2036-24S
- Vinyl 24" x 24" with Stay
- 36 in. Staff
- True Red Safety



PART #: SF24-36-TR

- Vinyl 24 in. x 24 in.
- 36 in. Staff
- True Red Safety



PART #: SF18-24-OR

- Vinyl 18"x18"
- 24" staff
- Orange

Signaling Devices



Warning Light Wands
PART #: WAND-W | WAND-RO | WAND-RO-LED

- Handheld, battery powered warning light for directing vehicle traffic (batteries not included).
- WAND-W: 21" Translucent White
- WAND-RO: 16 1/4 Translucent Red
- WAND-RO-LED: 17 1/2 Red



PART #: 1155
Baton Traffic Flare w/ Red LEDs



DG243A6
STOP/SLOW paddle 24" DG/DG roll-up
Lightweight design, compact, complete kit with storage bag, meets MUTCD specifications, diamond grade



STOP/SLOW Paddle ABS Plastic
PART #:FLH-2472-HI/DG

- 24" Hi Int. Reflective STOP/Diamond Grade SLOW
- 2-Part PVC Staff (12" Handle & 60" Staff)
- Made in America

REPLACEMENT PARTS
Part #: FLH-24-HI/DG
STOP/SLOW HI STOP/DG SLOW (target only)

Part # DECAL-HI-24FLH-STOP
Decal 24" Pressure Sensitive High Intensity STOP Face for Paddle.

Part # DECAL-DG-24FLH-SLOW
Decal 24" Pressure Sensitive Diamond Grade SLOW Face for Paddle.

HDPE Smooth Bollard Post Sleeves





SIZE	I.D.	O.D.	HEIGHT	RED PART #	YELLOW PART #	BLUE PART #	WHITE PART #	WEIGHT
4"	4.75"	5.25"	56"	1735R	1735	1735BL	1735W	4 lbs.
6"	6.875"	7.375"	56"	1736R	1736	1736BL	1736W	6 lbs.
8"	8.875"	9.375"	57"	1737R	1737	-	-	8 lbs.

SIZE	I.D.	O.D.	HEIGHT	RED PART #	YELLOW PART #	WEIGHT
4"	4.75"	5.25"	56"	1735RWS	1735YRS	4 lbs.
6"	6.875"	7.375"	56"	1736RWS	1736YRS	6 lbs.
8"	8.875"	9.375"	57"	1737RWS	1737YRS	8 lbs.

Barricades




PART #: 37212-FHIP-SF1
Barricade Plastic Type I Hi-Intensity
- 12"x 24" Top Panels
- (1) San-Fill Bottom Panel



PART #: 44000
44 in. A-Frame Barricade Leg
- Sand fillable for ballasting
- Can be used with I-beam rails or 1"x8" or 2"x8" nominal lumbar

PART #: 44008-FH1P-2
Barricade I-Beam 8 ft. x 8in.
2 Sided H/I Grade



BC-3000 Series Type III Barricades

Model No.				*Specifications* 3 Rails Included
(2) 5' Uprights (2) Bases (3) Rails	(2) 10' Uprights (2) Bases (3) Rails	*Thickness*	*Width*	*Length*
BC-3105	BC-3110	1"	8"	48", 72", 96"
BC-3205	BC-3210	2"	8"	120", 144"

ROADMAX 9100 Traffic Drum



ITEM #: DRUM-4-6HI-MAX
ROADMAX Drum with 2 6-in. White 3M HI Bands
- Rounded ergonomic handle
- Recessed reflective band tiers
- Four anti-rotation claws
- Double light mounts on handle
- Two-piece breakaway feature allows controlled separation on impact
- UV-stabilized bright orange polyethylene

Specifications: 36" body height, 41.38" overall height, 8 lbs., 18" diameter

*base sold separately



ITEM #: HTR-22.5
Tire Ring base, 22.5" for drum

Plasticade Minicade







K1177



K1170



K1142

- All Plastic Sign Frame
- Holds two, 12"W x 24"H signs
- Regressed sign area helps to protect sign faces
- Features "click lock" hinges for a positive interlock in the open position
- Sign face can receive vinyl sheeting (with surface preparation), metal, Coroplast™, or acrylic sign blanks
- Can be internally ballasted with sand
- Stacking lugs facilitate handling by keeping stacked units from sliding and damaging sign faces
- Available in white, orange, or yellow
- Other legends available

Barricades

MODEL #: 33000
Step-N-Lock Vertical Panel Barricades

- Vertical panels available in 24" x 12" or 29-1/2"
- Striped 1 or 2 sides with hi-intensity or diamond grade reflectivity
- Available in left hand or right hand stripe
- Light sold seperately

PART # 33043-VRB 43 lb Recycled Rubber Base, PA


24" x 12"


29-1/2" x 12"


Step-n-Lock Panel

Paint Dispensing Equipment



PART #: 800
Vers-A-Striper Pavement
- Heavy duty
- Lightweight
- Pavement or concrete
- Stripe widths up to 4"
- Includes striping alignment guide



PART #: 801
Vers-A-Striper Turf & Dirt
- Heavy duty
- Lightweight
- Turf or dirt
- 10" diameter wheels
- Stripe widths up to 4"
- Includes striping alignment guide



PART #: 1244
14" Spot Marker
- Inverted marking paint
- For lower quantity and intermittent marks



PART #: 1245
32" Marking Stick
- Handheld, rolling inverted marking paint applicator
- Flagholder
- Flag insert spike
- Longer trigger allows one, two or even four finger activation.
- Rubber over-molded handle for easy grip and less slip.

Traffic and Construction Striping Paint



Traffic Paint - 5 gal.



Construction Marking Paint



Traffic Striping Paint

20 OZ (15 OZ FILL) CONSTRUCTION MARKING PAINT, AEROSOL	
254	Blue
255	White
249	Flourescent Pink
283	Flourescent Red/Orange
248	Flourescent Green

Lasts Up to 3 Months
Meets OSHA std & APWA/ONE Call Systems
Inverted Spray Through Cap

20 OZ (18 OZ FILL) TRAFFIC STRIPING PAINT (SOLVENT BASED)	
710	White
720	Yellow
750	Blue
770	Asphalt Black

Fast Dry – 20 Min to Touch
VOC Compliant & Lead Free

5 GAL. TRAFFIC PAINT	
983801	White Latex Traffic Paint, PA
983802	Yellow Latex Traffic Paint, PA
F3557173	Tint Blue

Glass Beads

PART #: B-50
50 lb. Bag
- PA Type A
- Std. Hwy.
- Safety marking spheres



STENCILS- 1/8" OR *1/16" THICK REUSABLE POLY. THE PAINT WILL PEEL RIGHT OFF. THESE STENCILS WILL LAST A LIFETIME IF PROPERLY CARED FOR.

Item No.	Description
98	4" Letters
99	4" Numbers
100	6" Letters
101	6" Numbers
101A	8" Letters
101B	8" Numbers
102	10" numbers
102A	10" Letters
103	12" Numbers
104	12" Letters
104A	18" Letters
104B	18" Numbers
105	24" Numbers
106	24" Letters
107	36" Letters
107A	36" Numbers
108	48" Numbers
108A	48" Letters
108B	48" x 10" Wide Letters "B, I, K, E, L, A, N, E, O, N, L, Y, X, -, I, N, G" any single letter or combination of
109	72" Letters
109A	72" Numbers
110	96" Letters (6" Stroke)
110A	96" Letters (4" Stroke)
110B	96" Numbers (6" Stroke)
110C	96" Numbers (4" Stroke)
111	Handicap Symbol 32"H x 24"W x 2" Stroke
111A	Handicap Symbol 41"H x 33"W x 2-1/2" stroke
111B	Box for Handicap Symbols 40" x 45"
111C	Handicap Symbol 42"H x 36"W x 3-1/2" stroke
111D	Handicap Symbol 24-1/2"H x 22"W
111E	Active Handicap Symbol 45"H x 36"W
111F	Active Handicap Symbol 36"H x 28"W
112	Handicap Symbol 12" x 18" x 1-1/4" Stroke
112A	Handicap Symbol w/Border 20" x 32"
113	6' Straight Arrow (2 pc)
114	6' Curved arrow (2 pc)
115	6' Arrow w/Curved & Straight Tails (3 pc)
115A	5' Straight Arrow (1 pc)
115B	5' Curved Arrow (1 pc)
115D	6' Straight Arrow (1 pc)
115E	6' Curved arrow (1 pc)
116	5' "R" for Railroad Xing 2' x 5' x 6" Stroke
116A	6' Federal "R" for Railroad 1' x 6' x 3" Stroke
116B	6'6" "R" for Railroad *Penn Dot Special
117	6' "R" for Railroad Xing 2'x6'x6"
117A	"X" for Railroad Xing
117B	"X" for Railroad Xing *Penn Dot
118	Federal Curve Arrow
118A	Federal Combo Tail
119	Federal Straight Arrow
119A	Penn Dot curved Arrow
119B	Penn Dot Straight Arrow
PA DOT COMBO KIT	Penn Dot Combi Arrow (3 pc)
119L	Fed U-Turn Arrow
119M	Lane Reduction Arrow
120	Stop Bar 8' x 16"
120A	Stop Bar 8' x 24"
121	Stop Bar 8' x 12"
122	Stop Bar 8' x 6"
123	Stop Bar 8' x 4"
124	Fire Hydrant Symbol w/Arrow 18" x 33"



117A



117B




119L


124

Item No.	Description
124B	Bike Lane Symbol 17" X 33"
125A	Ped Crossing Sym 36 x60
125B	Bike Lane Symbol 24" x 48"
125C*	Hopscotch Board w/Numbers 96" x 24"
125D	Bike Lane Symbol w/Arrow
125E*	Hopscotch Board w/Numbers 36"x104"
125F	Bike Lane Sym w/Helmet 40x72
125G	Dot Bike Arrow
126	Bike Lane Sym w/Helmet 40x60
126A	Bike Trail Sym 65"x40"
126B	"No Bicycle" sym 42" diameter
126C	Bicycle Diamond 36" x 72"
127A	10" HANDICAP
128	10" LOADING
128A	10" CUSTOMER
131A	10" STOP
132	10" FIRE
133	10" LANE
134	10" ZONE
139	10" RESERVED
139A	10" RESERVED (Pkg Lot Stalls)
139B	10" PARKING
140A	10" ONLY
141	10" VISITOR
141A	10" COMPACT
141B	10" CARS
141C	6" PARKING
141D	6" ONLY
142	6" NO PARKING
142A	6" COMPACT
142B	10" ONE WAY (1 pc)
143	10" NO PARKING
144	6" HANDICAP
147	6" NO SKATEBOARDING
149	6" VISITOR
150	6" EXIT
150A	6" ACCESSIBLE
150B	6" VAN
151	6" NO SMOKING
151A	6" RESERVED
153	12" NO
154	12" PARKING
155	12" FIRE
156	12" LANE
157	12" ZONE
157A	12" COMPACT
157B	12" LOADING
157C	12" STOP
158	12" RESERVED
159	12" VISITOR
159A	12" DO
159B	12" NOT
160	12" ENTER
161	12" EXIT
162	12" ONLY
163	4" NO PARKING
163B	4" ONLY
163C	4" PARKING
163D	4" COMPACT
164	4" RESERVED
165	4" VISITOR

215C


125B/126


125D


126A


126B




247

Item No.	Description
166	4" FIRE
167	4" LANE
167A	4" LOADING
168	4" ZONE
168A	4" MIN.
168C	4" HANDICAP
171	8" LOADING
171A	8" ONLY
175	8" FIRE
176	8" LANE
177	8" ZONE
182	8" RESERVED
184	8" VISITOR
185	8" COMPACT
186	8" CARS
187	8" NO PARKING
187A	8" PARKING
188	8" HANDICAP
189	18" NO
190	18" PARKING
191	18" FIRE
192	18" ZONE
193	18" LANE
194	18" ONLY
195	18" ONE
196	18" WAY
196A	18" DO
196B	18" NOT
198A	18" EXIT
198B	18" ENTER
198C	18" STOP
198D	18" IN
198E	18" OUT
199	24" NO
200	24" PARKING
200A	24" DO
200B	24" NOT
201	24" FIRE
202	24" LANE
203	24" ZONE
204	24" ENTER
205	24" EXIT
208	24" LOADING
209	24" ONE
210	24" WAY
210A	24" STOP
210B	24" ONLY
210C	24" SLOW
210D	24" AHEAD
211	6" LOADING
212	6" ZONE
213	6" LANE
214	6" FIRE
215C	Yield Lines (specify size) 12" x 18", 16" x 24", 24" x 36"
227B	ADA Symbol w/No Parking
228	ADA Symbol w/Van Accessible
229	ADA Symbol w/Handicap Pkg
230	Crosswalk Bar 24" x 72"
247	Shared Bicycle Lane



229



228



227B

PART #: 530102
EF3000 EX Propane Heat Torch

- 5" Nozzle
- Cylinder not included

Specially designed for applying preformed thermoplastic pavement markings and adhesives. It can also be used for removal of paint, drying loop detector grooves, removal of cold plastic and temporary tape, shrinking plastic for wrapping, drying road surfaces and for melting snow or ice.





PreMark Road Marking Material

Preformed thermoplastic road marking material. A longer lasting alternative to paint. Available in white or yellow, 4" to 24" wide. Available in lines, arrows--straight, curved or combination.

PreMark White Flat Lines
"No preheat" type of material





SIZE	LINEAR FT./BOX	STOCK # 125 MIL
4"x3'	90'	PM600100
6"x3'	60'	8432061
8"x3'	45'	PM600102
12"x3'	30'	8431064
24"x3'	15'	8430566

White Elongated Arrows





TYPE	SIZE	STOCK # 125 MIL
Straight	12'	8330248
Left	12'	8330247L
Right	12'	8330247R
Combo, Arrow Left	20'	8330149L
Combo, Arrow Right	20'	8330149R

8 ft. White Legends





LEGEND	STOCK # 125 MIL
AHEAD	8130106
LANE	8130113
LEFT	8130109
MPH	8130115
ONLY	8130102
PED	8130114
RIGHT	8130108
"R X R" KIT FHWA 20' X 8'	PMK8130103A
"R X R" KIT NARROW 20' X 6-1/2'	PMK8130103A-SP1
SCHOOL	8110101
SLOW	8130110
STOP	8130104
XING	8130107
YIELD	8130127

Premark Manhole Protection Rings

BEFORE



AFTER



SIZE	STOCK # 125 MIL
8"	8230252BKNB (2 per box)
10"	8230240BKNB (2 per box)
24"	8230257BKNB (2 per box)
26"	8230241BKNB (2 per box)
28"	8230248BKNB (2 per box)
32"	8230242BKNB (1 per box)

Symbols, Letters & Numbers



89230226HS
- 8'
- 90 mil



89230536HS
- 28"
- 90 mil



89230525LHS
- 4'X2'
- 90 mil

89230223LHS
- 8'X4'
- 90 mil



8130104
- 8'
- 125 mil



8110101
- 8'
- 125 mil



8130114
- 8'
- 125 mil



8130107
- 8'
- 125 mil



8130102
- 8'
- 125 mil


Asphalt Accessories



Pour Pot with Leg 2.6 gal
PART #: 40201-PA07



4 Gallon #50 Pour Pot
PART #: 255000



V-Shaped Squeegee
PART #: HTRV-SIL
Refill
PART #: HTRV-RD



U-Shaped Squeegee
PART #: US-NEO
Refill
PART #: US-R



J-Rake
PART #: JRAKE
J 18" steel broom used to remove gravel during tear-off.




Manhole Hook 36"
PART #: 045430

Black Beauty



Medium - General repair & maintenance blasting, removal of paint or rust. 50 lb. bag.

Hand Tools











SBPOLY	16" Poly Street
JRAKE	J 18" Steel Broom
SBWIRE	16" Street Wire
SBHANDLE	Handle Tapered 60" Wood
SBSPRING	Broom Spring
AT-5208S	All-Steel 8" Tamper w/ 50" handle

Asphalt Lutes





PA-84-30	Lute w/84" Aluminum Handle & 30" Plain Edge
SA-84-30	Lute w/84" Aluminum Handle & 30" Plain Edge Serrated
PA-84-36	Lute w/84" Aluminum Handle & 36" Plain Edge
SA-84-36	Lute w/84" Aluminum Handle & 36" Plain Edge Serrated
L-9	Replacement Aluminum Lute Brace

Hot Applied Crack Sealant

Part# 80433-3-OH50
Deery Superstretch SS.2 30 lb. box
Direct fire or Hot-oil jacketed melter capable of constant mechanical agitation & equipped with a calibrated thermometer.



Measuring Wheels



Rolatape 300 Series
PART #: 32-300

- For pavement, dirt and rough surfaces
- 5-digit ratchet counter - Measures up to 100,000 feet
- Calibrated wide rubber wheel
- Insert-and-Lock handle

UOM	Feet
Counter Type	Single
Circumference	3'
Diameter	11-1/4"



Rolatape 400 Series
PART #: 32-400

- 5-digit counter - Records up to 100,000 feet
- 4' circumference wheel - Easier to measure accurately on rough terrain
- Wheel stand and wheel brake

UOM	Feet
Counter Type	Single
Circumference	4'
Diameter	15-1/2"



Rolatape 400 Series
PART #: 32-415

- Solid steel disk wheel - Measures through brush
- Provides measurements in inches, tenths of feet or decimeters and centimeters
- 5-digit steel counter Records up to 100,000 feet or meters

UOM	Feet, Inches, Tenths
Counter Type	Single
Circumference	4'
Diameter	15-1/2"

Guardrail Delineator



SH227GRS Safe Hit Flexible Guardrail Mount Delineator
27" Post attaches to steel guard rail w/ (2) self tapping screws

PART#: SH227GRS-WS
27" White Post w/(1) 3"x12" Silver Decal

PART#: SH227GRS-WS(2)
27" White Post w/(2) 3"x12" Silver Decals



PART#: SH227GRS-YA
27" Yellow Post w/(1) 3"x12" Amber Decal

PART#: SH227GRS-YA(2)
27" Yellow Post w/(2) 3"x12" Amber Decals


Roadside Delineator Posts

PART#: FG500
Flexi-Guide Posts

- Drivable flexible guide posts for roadside delineations
- Recycled engineering polymers withstand repeated impacts
- Guide posts that offer a combination of strength, flexability and durability

Available with a number of options, including reflective sheeting, colors and length, and various anchors.

Colors and Lengths:
White, Yellow
48", 60", 66", 72", 78"
Anchoring Options:
Flexi-Guide posts may be supplied with or without plastic or steel anchors





FG95 Plastic Anchor



FG96 Steel Anchor

Pavement Markers



Temporary Overlay Marker
Used as temporary delineation on new pavement. With a self-stick pad, they're easily installed and removed by one person. They also work as a target for line painting. (500 per box)

PART#: 8007302610
White 1-Way

PART#: 8007302600
Yellow 1-Way

PART#: 8007302630
White 2-Way

PART#: 8007302620
Yellow 2-Way



Flexible Chip Seal Marker
Installed as delineation on the highway before chip sealing application. Once operation is completed, simply peel the clear protective cover from the reflective strip. Installs in the same amount of time as T.O.M. Available in single or double sided yellow and single or double sided white. (500 per box)

PART#: 8007302110
White 1-Way

PART#: 8007302100
Yellow 1-Way

PART#: 8007302230
White 2-Way

PART#: 8007302220
Yellow 2-Way

Reflexite Reflectors

WORK ZONE REFLECTORS
Delineator measures 5" W x 10" H with a 5" W x 9"H reflective decal. The base measures 3-1/2" with (2) 3/8" bolt holes.

WZ-1WAY ORANGE Delineator
Work Zone 1-S Orange

WZ-2WAY ORANGE Delineator
Work Zone 2-S Orange





BUTTON REFLECTORS
3 1/4" Button Delineator w/Plastic Back

HR-PW	White
HR-PY	Yellow
HR-PR	Red
HR-PG	Green
HR-PB	Blue

Delineator Bolt 10/24" x 2-1/2"
Delineator Nut 10/24" Fluted


PCBM-T12 Barrier Reflectors
Top or Side Mount Placement
Type "R"

PART#: 8007945110
White (1) sided

PART#: 8007945111
Yellow (1) sided

PART#: 8007945211
White (2) sided

PART#: 8007945210
Yellow (2) sided



I-Flex Guardrail Reflector


Type "CS"

PART#: 8002545140
White (1) sided

PART#: 8002545130
Yellow (1) sided

PART#: 8002545110
White (2) sided

PART#: 8002545100
Yellow (2) sided



Safe-Hit Flexible Delineator Posts

Examples only; post color and sheeting to be specified. Post, bases, and sheeting can also be purchased separately.

PART#: SH336SMA
Type SM-1 Surface-Mounted



PART#: SH236SMA
Type SM-2 Surface-Mounted



PART#: SH348GP3
Type GM-1 Ground-Mounted



PART#: SH248GP3
Type GM-2 Ground-Mounted





PART#: SHSMA-1–BL
SMA Surface mount pin lock base




PART#: SHA3-18C- - 6L
Base Soil Anchor 18″ Closed End

REPLACEMENT SHEETING/DECALS

Part # 3M TYPE III FHIP SILV	3″x12″ Silver decal
Part # 3M TYPE III FHIP AMB	3″x12″ Amber decal
Part # AR1000 AMBER	3″x12″ Amber decal
Part # AR1000 SILVER	3″x12″ Silver decal
Part # 3M TYPE III FHIP AMB ROLL	3″ X150′ Amber, roll
Part # 3M TYPE III FHIP SILV ROLL	3″ X 150′ Silver, roll

PART#: SHBTL-23--KI
Butyl Pad for Installing One Surface-Mount Pin Lock Base




PART#: SHEPX-13--KI
Epoxy Kit for Installing One Surface-Mount Pin Lock Base



PART #: 9245-9830-30
Safe-Hit Drive Cap






PART #: SHTOL-50--MT
Maintenance Kit
Post cutting tools aid in the removal of severely damaged or broken posts from soil anchors.

Includes:
- 1 SH-51 MT Post Cutting Tool
- 1 Replacement Tool Blade
- 1 Adjustable Hacksaw
- 1 Channel Lock Pliers

Carsonite Curv-Flex Delineators

4″x66″ Flexible Fiberglass Composite Marker
The curv-flex marker withstands direct tire impacts.





PART #: CFR406601
White Delineator Blank

PART #: CFR406602
Yellow Delineator Blank

PART #: RSH301201-A
Silver 3″x12″ Hi-Intensity Decal

PART #: RSH301202-A
Amber 3″x12″ Hi-Intensity Decal


PART #: RSH301205-A
Red 3″x12″ Hi-Intensity Decal

PART #: RSH301208-A
Blue 3″x12″ Hi-Intensity Decal

BriteSide Reflective Panels


- MUTCD approved
- Theft-resistant fasteners
- Reflective day & Night
- 72″


Model BSS


Model BSX


BSF


Model BSD


Model BSX-372
3" Wide x 72" Long

RED	ORANGE	YELLOW	WHITE	BLUE	FLUOR. YELLOW/ GREEN	FLUOR. YELLOW
Stop Yield	Construction Maintenance Warning	No Passing Zone Warning Sign	Regulatory (Speed Limit)	Motorist Services	School Zone	No Passing Zone Warning Sign

Bolt-On Butterfly

The bolt-on style is best suited for installation during initial guardrail construction. The trapezoidal shape of the Butterfly makes it a perfect fit inside of all W-beam style guardrails.



PART#: 800BTB0190
White 1-Way

PART#: 800BTB0160
Yellow 1-Way

PART#: 800BTB0130
White 2-Way

PART#: 800BTB0100
Yellow 2-Way

Traffic Mirrors



PART #: PLXO26
26" Outdoor Convex Acrylic Mirror with Hanging Hardware

PART #: PLXO36
36" Outdoor Convex Acrylic Mirror with Hanging Hardware

Used Guide Rails & Posts



PART #: USED GUIDE RAIL
Used Guide Rail 12' 6"

PART #: GUIDE RAIL BOLT W/NUT 1-1/4 IN
5/8" x 1-1/4" guide rail bolt w/nut

PART #: GUIDE RAIL BOLT W/NUT 2 IN
5/8" x 2" guide rail bolt w/nut

PART # GUIDE RAIL BOLT W/NUT 9-1/2 IN
9-1/2" bolt for offset block



PART #: 21-907G
New guide rail Wrap-a-Terminal (Boxing Glove)



PART #: USED GUIDE RAIL POST W/ OFFSET BLOCK
Used guide rail post 6' w/plastic offset block

Impact Recovery Systems Omega Post(s)



OP2, 2.375 in OD

- High speed, high performance delineator made of flexible plastic. 200+ impacts at 70 MPH.
- Easy to install and built to last.
- MASH 2016 accepted. Made in the USA.
- OP2: 2.375 in OD
- 28, 36, or 42 in. high
- Post Top: Capped or Long Squeeze
- Color: White, Yellow, Orange, Black, or Green
- Reflective Color: White, Yellow, Orange, Green, Red, or Blue
- Socket Type: Quarter Turn (QT)
- Compatibility: Suface mount Quarter turn Base, Portable Quarter Turn One Base, Tuff Curb, or Tuff Curb XLP
- Recommended for managed, HOV or bike lanes, Urban turn restrictions, high speed traffic, and corrosvie environments./**********



OP3 3 in OD

- Height: 28", 36"
- Post Top: Black Cap
- Color: White, Orange, or Yellow
- Reflective Color: White, Yellow, Orange, Green, Red, or Blue
- Socket Type: Quarter Turn (QT), Fixed, or Driveable (in ground)
- Compatability: Surface Mount, Tuff Curb, or Tuff Curb XLP

Base Systems



PART #: BS-P1-QTB
- Portable One base, Quarter Turn, Black
- 34" X 14" X 2"
- 100% Recycled Rubber
- 36 lbs.



PART #: BS-SM-QTB
- Surface Mount base, Quarter Turn, Black
- 8" x 8" x 1"
- Optional Reflectors (WHT/WHT, WHT/RED, WHT/BLANK, YLW/YLW, YLW/BLANK)




PART #: BS-DR00
- 18" X 2" X 12 gauge square tube, 4 lbs



PART #: IM-ANCHOR-KIT
- 4 ea 16mm x 3" plastic sleeve, 1/2" x 4" lag screws, and 1-1/4" metal washers


Impact Recovery Systems Multi-Purpose Post



MP2, 2.375 IN OD

- Flexible polyethylene delineator & channelization post. 50 hits at 55 MPH.
- Impact Recovery Systems patented, Anti-Twist reactive spring system rebounds when struck.
- MP2: 2.375 in OD
- 28, 36 , 42, or 48 in. high
- Post Top: Capped or Long Squeeze
- Color: White, Yellow, Orange, Green, Gray, Black, or Red
- Reflective Color: White, Yellow, Orange, Green, Red, or Blue
- Socket type: Quarter Turn (QT), and Drivable
- Compatibility: Surface mount Quarter turn, Portable Quarter Turn one base, Driveable, Tuff Curb, Tuff curb XLP
- Recommended for alignment in roadway atop tuff curb systems, parking garages, parking lots, turn restrictions, entrance and exit ramps, and bike lanes.

Impact Recovery Systems Tuff Post



TP4 in OD

- Height: 28", 36", 42", 48"
- Post Top: Black Cap or Long Squeeze
- Color: White or Yellow
- Reflective Color: White, Yellow, Orange, Green, Red, or Blue
- Spring Type: Quarter Turn (QT) or Driveable (in ground)
- Compatability: Surface Mount (SM) Quarter Turn (QT) Base, Driveable, or Tuff Curb XLP

Recommended uses: Ideal when increased visibility and channelization is needed; indicating alignment in roadway, atop Tuff Curb systems, and in parking lots and garages; and for turn restrictions, entrance and exit ramps, and bike lanes.

Tuff post is a durable, flexible polyproplyene traffic delineator and channelizer post. It offers a higher target value than the MP2 and is intended for use at lower speeds. *Impact Recovery Systems' patented anti-twist reactive spring system* rebounds when struck.



TUFF Curb

Tuff Curb is a durable, high-visability traffic seperator curb.

- Injection molded plastic, lightweight, and easy to install.
- MASH 2016 accepted
- Dimensions: 40" x 12" x 3.5", 12 lbs.
- Color: White, Yellow
- Reflectors: Ylw/Ylw, Wht/Wht, or Wht/Red
- Socket Type: Quarter Turn (QT), Qwick Release (QR), or Fixed
- End Cap: 18" Optional
- Installation: 3 anchors (included)
- Compatability: MP2, Omega Post, Tuff Post
- Recommended for curves, medians, edge lines, work zones, rail crossings, and toll booths.

Tuff Curb XLP is an extremly low profile, high performance curbing system designed to endure damaging high speed, high impact application.


- Injection molded, lightweight and easy to install, ultra low profile with smooth edges.
- Mash 2016 accepted.
- Dimensions: 40" x 8" x 2", 6.5 lbs.
- Color, White, Yellow, Green
- Reflectors, Curved glass element (45 deg reflectivity): Ylw/Ylw, Wht/Wht, Wht/Red, Green/Wht
- Socket Type: Qwick Release (QR), Fixed, or Quarter Turn (QT)
- Installation: 3 anchors (included)
- Compatability: MP2, Omega Post, Tuff Post
- Recommended for cities, bridge decks, parking structures, bike lane, and low profile traffic separation.

Which TUFF Curb® is right for you?

	TUFF Curb® XLP™ Xtreme Low Profile Curb 40" x 8" x 2"	TUFF Curb® Low Profile Curb 40" x 12" x 3.5"
At-Grade Crossings	●	✪
Bike Lanes	✪	—
Bridge Decks	✪	—
Centerline Work Zone	✪	●
Entrance/Exit Ramps	✪	●
HOV Lanes	✪	●
Parking Decks	✪	—
Toll Booths *(slow speeds)*	●	✪
Toll Lanes/Plaza Channelization *(high speeds)*	✪	●
Turn Lanes	●	✪
Urban Turn Restrictions	●	✪

✪ Preferred ● Suitable — Not Recommended


Please refer to IRS Installation Instructions for proper installation procedures available online.



Yodock 2001MB, Orange

PART #: Yodock 2001MB
Orange
Lightweight Design, Bright Orange, HD Polyethylene
Specifications:

- 72" Length
- 18" Width
- 32" Height
- 75 lbs. Empty
- 900 lbs. Filled with Water



Evolis Radar Speed Sign







PART #: EPRA0156AA PA - White
PART #: EPRA0157AA PA - Yellow
Evolis Vision Radar Speed Sign SOLAR

- (1) Speed display: 15" High (Amber/Green)
- Polycarbonate front panel screen printed "YOUR SPEED"
- Integrated solar power regulator
- USB and Bluetooth LE (low energy) connection
- Bi-Directional Traffic Data and Statistics
- PC and Smartphone software provided
- (1) Mounting Kit (excluding clamps)
- (1) 95W solar panel
- (2) Battery pack 12V22AH

**Everything included to mount the sign except for the pole and the pole straps

Optional Items
PART #: 02402 External Battery Charger - US version
PART #: EACC0046AB Battery Pack 12V22AH


Crosswalk Signs



PART #: 254-MUTCD W/KIT QT

- Yield to Pedestrian Crosswalk Sign "MUTCD Standard"
- 12" x 36" Flourescent Yellow/Green Diamond Grade Reflective Sheeting
- 10" x 24" White Hi-Intensity Sheeting Insert
- One portable base

*Surface mount fixed-base option also available




PART #: BS-SM-QTB



PART #: IM-Anchor-Kit

Replacement Parts



Parking Bumpers



PART #: STN-6Y
72" L x 6" W x 4.5" H
35.5 lbs
Recycled Rubber
Molded in Reflective Yellow tape
Made in the USA
Installation hardware not included



Part #: XASPHALT
14" Rebar Spike w/ Washer
4 each req.

Temporary Stop Sign



PART #: STOP-QT/BS-P1QT
Temporary stop sign, utilizing Impact Recovery's patent anti-twist reactive spring system offering optimal strength and support. Rebounds to upright position when struck.

- Overall Height: 60"
- Sign plate: 24" White flexible high intensity w/Red ink
- Post: 57" plastic
- Color: White
- Spring type: Quarter turn
- 36 lb. base
- Recommended for parking lots, parking garages, police, or emergency crews.

SB-10 Speed Bump



PART #: RF-SB10C-YLW
24'L x 10"W x 2-1/4"
Center Module

PART #: RF-SB10E-YLW
24'L x 10"W x 2-1/4"
End Module

PART #: RF-SB10HWK
(4) Hex Lag Screws-Steel
1/2"W x 4"L
(4) Plastic Shield 3"L x 5/8" W
(4) Washers 1/2" W x 1-1/16" L
(1) Dual Flange Connector

- Easy to deploy, install, and recover.
- Effective permanent or temporary traffic calming device.
- Ideal for reducing vehicle speeds <10 MPH.
- 100% American recycled composite material won't crack, crumble, or corrode.
- Thermoplastic, glass beaded reflective arrows for high visability.
- Install on asphalt or concrete with 4 anchoring points per module.

Sandbags



PART #: SB14W

Heavy duty seamless circular woven polypropylene sandbags for extended use with industrial twine ties. U.V. Stabilized. Must be ordered in multiples of 100 bags--(100 bags/bundle). 14"x26" White.

Geotextile



PART #: 35-125-360 12.5'x 360' 35-150-300 15' x 300'

Subsurface Drainage
Non-woven geotextiles used as a filter, allow subsurface water to pass into drainage core while preventing soil from clogging the system.

Roadway Stabilization
Putting a non-woven geotextile directly on a soft saturated sub grade extends road and rail life by preventing aggregate and ballast from intermixing with soil.

Hard Armor Erosion Control
Non-woven geotextiles can help relieve hydrostatic pressure beneath hard armor and prevent subsurface soils from migrating through the erosion control system.

Fencing

PART #: 64090204
Sentry Secura Safety Fence
- Orange
- 4'x50'
- 1.375"x1.5"



PART #: 38308
Diamond Mesh Safety Fence
- Orange
- 4'x100'



PART #: 90853704
Nordic Plus II Snow fence
- Orange
- 4'x100'



Wood Snow Fence
- Red
- 4'x50'



PART #: BT01414
- Wire ties -14", 14 ga.
- 2500 per roll

PART #: BT01214
- Wire ties -12", 14 ga.
- 2500 per roll

PART #: M1498736
- Silt fence, HD
- 3'x100'




Erosion Control

PART #: 17681-1-1125
Straw Blanket
- 8' x 112-1/2' (Total: 100 sq. yds.)
- Single Net - 100% weed free AG straw for use on slopes up to 3:1 and low flow channels




PART #: 17686-0-0
Sod Staples
- Ideal for keeping blankets in place



Erosion Control


Standard 11 Gauge Gabion Sizes			
Size	Cells	Capacity (cu. yds.)	Weight (lbs.)
3' x 3' x 3'	1	1	24
6' x 3' x 3'	2	2	42
9' x 3' x 3'	3	3	60
12' x 3' x 3'	4	4	78
3' x 3' x 1.5'	1	0.5	17
6' x 3' x 1.5'	2	1	29
9' x 3' x 1.5'	3	1.5	42
12' x 3' x 1.5'	4	2	54
3' x 3' x 1'	1	0.33	15
6' x 3' x 1'	2	0.66	25
9' x 3' x 1'	3	1	36
12' x 3' x 1'	4	1.33	47

11 Gauge Gabion Basket. Special order and supplied in collapsed form for easy assembly.
Each gabion comes with hardware to completely assemble and install.
Lane Gabions are made from materials made in the USA.



Stainless Steel Shovel Holder


PART #: SH675SS
HD Spring Mechanism 6.37"H x 7.50"W



Mud Flaps

PART #: B36LXC BOOMERANG HD, 24" x 36"

PART #: BOOMERANG LD PAM MUD FLAP
LD, 20" x 30"



Hitch Plates



PART #: 1809030B
Ford F350-450-550

PART #: 1809035A
GMC/Chevy 3500

PART #: 1809037A
Dodge 3500-4500-5500

Fire Extinguisher

ITEM #: B500T
5 lb ABC
Hose
and Horn
w/vehicle
bracket



Truck Steps



Part 5232001 Truck step, retractable ladder, 2 rung, SS.

Part 373460 Truck step, sliding ladder, 2 rung, Aluminum.

Part HE1402 Truck step, Bolt on, 2 rung, Aluminum.

Part USM-LDR-006 Truck step, weld on, 3 rung

PennDOT Style Light Bar



PART #: 8891166
9 Light LED Light Bar Kit with Reverse Lights 66"L x 8"H x 3"D

Bolt-On Tow Hooks



PART#: B2800A
Pair - Left & Right
Forged Steel
Plain Finish



PART#: B2799B
Pair, Black, Universal
blot hole pattern, drop
forged, LD, 10,000 lbs.



PART#: B2801A
Pair, Plain finish,
drop forged, HD,
44,600 lbs.

Accessories



PART #: PM87
2" Slide-In Mount
Plate
3 Position, 9" Shank



PART #: 1804055
2" Bolt-On Receiver
6" Tube
20,000 # rated



PART #: B48
1" Diameter D-Ring



PART #: 510
Two Bolt Back-Up
Alarm
97DBA, 12VDC

Pintle Hooks



PART #: PH15
Pintle Hook, Drop Forged
15 Ton



PART #: PH20
Pintle Hook, Forged
20 Ton



PART #: BP200
25 Ton Spring Loaded Hook



PART #: RM62000
6 Ton Combo Hitch for 2" Hitch
Receivers w/2" Ball



PART #: BH82000
8 Ton Combo Hook w/2" Ball

PART #: BH82516
8 Ton Combo Hook w/2-5/16" ball

Tool Boxes

Diamond Tread Aluminum Underbody Tool Box, T-Handle, Drop Down Recessed Door


PART#: 1705101 - 18" x 18" x 18"
PART#: 1705100 - 18" x 18" x 24"
PART#: 1705103 - 18" x 18" x 30"
PART#: 1705105 - 18" x 18" x 36





PART#: 1701006
Tool Box Bracket Mounting Kit
3" x 18" x 18"
Black Powder Coat

Roadwatch System Kit





PART #: MSF849-1262-003
- The Road Watch temperature indicating system features advanced early warning of road and air temperature.
- Monitors and displays air and road temperatures to a digital LED monitor.
- Mounts on instrument panel.
- Easy to install and replace.
- Includes sensor head, temperature display, and extension cable (F).

Rear Observation System with Night Vision



PART #: 8883000
- Improves rear-view visability and obstacle detection.
- Convenient Auto-ON when vehicle shifts into reverse.
- Heated night vision camera with audio feed included.
- Versatile full-color monitor with multiple mounting options.
- Camera is rated IP69K for extreme water and dust resistance.
- Wireless remote included for easy operation in or out of your vehicle.
- Toggle between up to three camera feeds (additional cameras sold separately).

The 7 in. full color monitor displays at an 800x480 resolution and includes a removable sun visor. Multiple mounting options are included to suit different applications. A U-bracket for surface mounting, a pedestal mount, and housing for recessed mounting all come in the box.

Winter Chemicals



PART #: 50RS
- Salt, lb. bag
- Melts ice down to 5°F



PART #: Calcium Flake 50 lb
- Calcium Flake, 50 lb. bag
- Excellent for quick meting on ice or very cold temperatures.
- Effective to -25°F.



Adjusters & Tensioners
PART #: 98
Metal Spring, Heavy Truck, Fits 19.5-24.5"



PART #: 103
Multi-Arm Rubber, Heavy Truck, Fits 19.5-24.5"

PART #: 105
Multi-Arm Rubber, Light Truck, Fits 16.5-19"

Tire Chain Systems




Pewag "All-Square" Single & Duals
Pewag's nickel manganese square link tire chains wear over four times longer than conventional twist link tire chains.
- Special case hardening process for exceptional wear and hardness
- Supplied with CAM style "SC" side chain tighteners

Pliers



Pewag 30" long handle tire chain pliers for light and heavy truck chains.
PART #: 202R

Body-Up Indicator Kit w/ Indicator Light



PART #: SK10
- Bright red light draws attention if dump body is up, increasing alertness while working.
- SS housing includes wiring harness and std red light.
- Commonly used for dump body applications, dump trucks, and dump trailers

Plow Guides



PART #: SPT-28 (2) | SPT-36 (2)
- Snow plow markers (pair).
- Safety orange, low-temp nylon with reinforced steel cap and 2" reflector.
- Includes hardware.



PART #: 59700 OEM
1308210 SAM
- Western snow plow markers.
- 24" wire blade guard with flags & hardware.

Flood Lights



PART #: 1492110
5" Wide LED Sealed Rubber Flood Light
- Clear lens and SS base.
- 12-24 VDC, 36 watts.
- Commonly used for work trucks, dump trucks, refuse trucks, trailers, ATVs, and more.



PART #: 1492100
5" Wide Incandescent Sealed Rubber Flood Light
- Clear lens and zinc-plated mount.
- 12 V, 35 Watts
- Commonly used for work trucks, utility trucks, pick-up trucks, and dump trucks.



PART #: 1492197
4" Ultra Bright Wide-Angle Rectangular LED Spot-Flood Combination
- Clear lens and single post stud mount.
- 10-30 VDC, 29 Watts
- Commonly used for trucks, trailers, ATVs, and more.

LED Strobe Lights



PART #: 8892250
Ultra thin 4.5" Green/Amber LED
- Designed to accomondate tight spaces.
- 23 flash patterns, 12-24 VDC, hard wired
- Includes 3M self-adhesive tape for simple fastening
- Commonly used for work trucks, trailers, and service body trucks.



PART # 8891900
Thin 4.5" Amber Led
- 12-24V strobe w/6 LEDs & 19 flash patterns w/ alternating and synchronous features.
- Hard wired.
- Commonly used for work trucks and trailers.



PART # 8890300
Ultra thin wide angle 5" Amber LED
- 12 bright LEDS, 16 different flash patterns, and alternating and synchronous features when linked to additional units.
- Hard wired
- Includes Black flange and mounting hardware.
- Commonly used for tow trucks, service trucks, and plow trucks.



PART # 8892800
Ultra bright narrow .62" profile Amber LED
- Designed to fit vehicles front grill or between the rear bumper & tailgate of pick-up trucks
- 23 flash patterns, 12-24 VDC, 13.70 W
- Hard wired
- Mounting hardware and bracket included
- Commonly used for trucks, utility trucks, pick-up trucks, and construction vehicles.



PART # 8892200
Ultra thin 5" Amber LED
- 23 flash patterns w/alternating and synchronous features, 12-24V
- Hard Wired
- Includes 3M self adhsevie tape for fastening
- Commony used for work trucks and trailers.

LED Mini Light Bar



PART # 8891060
15" octagonal LED mini light bar - Amber
- 68 Amber LEDs, 12-24VDC, 38 Watt
- 10 flash patterns.
- Magnetic Mount, Plug
- Includes accessory power plug with on/off & momentary flash pattern switch.
- Commonly used for snow plow trucks, work trucks, pick-up trucks, and trailers.



PART # 8891069
15" octagonal LED mini light bar - Amber/Green
- 34 Amber LEDs, 34 Green LEDs, 12-24 VDC, 38 W
- 10 flash patterns
- Magnetic or Permanent
- Auxiliary Power connector

Flares



PART # 9340
- 30 min flare, waxed, wire stand, plastic cap



PART # 1155
Baton traffic flare with 15 Red LEDS.
- Multi-functional flare can be used as a road flare or directional wand.
- 5 flash patterns including S.O.S.
- Rechargeable battery
- Includes USB charging hub and USB cable

Rubber Deflectors



- Custom-cut to your length with a 10" width
- Made from heavy-duty rubber material with rubber stabilizers for high speed plowing
- Mounting holes pre-punched and zinc-plated mounting fasteners provided
- Easy to install - deflector comes in one piece ready to mount














ITEM ID	DESCRIPTION
1002051	3′ x 5′ US Nylon
1002091	4′ x 6′ US Nylon
1002131	5′ x 8′ US Nylon
2372051	3′ x 5′ Pennsylvania State Nylon
2372131	5′ x 8′ Pennsylvania State Nylon
7912051	3′ x 5′ Army Nylon
7912131	5′ x 8′ Army Nylon
7942051	3′ x 5′ Marine Corps Nylon
7942131	5′ x 8′ Marine Corps Nylon
7952051	3′ x 5′ Navy Nylon
7952131	5′ x 8′ Navy Nylon
7922051	3′ x 5′ Air Force Nylon
7922131	5′ x 8′ Air Force Nylon
7932051	3′ x 5′ Coast Guard Nylon
7932131	5′ x 8′ Coast Guard Nylon
7992051	3′ x 5′ POW-MIA (Double-Faced) Nylon
7992131	5′ x 8′ POW-MIA (Double-Faced) Nylon



Terms and Conditions

Prices are subject to change without notice at any time.
We have made every effort to list correct product information and part numbers. Please feel free to call and verify information at anytime with our friendly customer service staff.

Our standard terms are net 30 days from the date of invoice.
All past due invoices are subject to a 1.5% finance charge accrued monthly. Orders received from past due accounts will not be processed until account is current.
All major credit cards are accepted.

All items are F.O.B. P.A. Municipal, Inc. unless otherwise noted.
There will be a minimal delivery charge on all orders that are delivered by a P.A. Municipal, Inc. truck. Merchandise shipped by any other means is prepaid and added to invoice.

No merchandise may be returned without P.A. Municipal, Inc.'s approval. Items returned without authorization will be refused.
All damage and shortage claims must be filed within 7 days.
All returns must be packaged properly so no additional damage is incurred. A 15% service charge will be made on returned items.
Special order items will be subject to our supplier's return policy and charged accordingly. Customer will be responsible for any additional freight charges. We assume full responsibility for errors and damage when it is our fault. Custom items cannot be returned.

Item Availability

All items shown may not be available at our warehouse locations for immediate customer pick-up. Please call in advance for product availability information.

Freight Charges

- Items sent by UPS: The UPS charges will be added to the invoice.
- Truck freight for items delivered by P.A. Municipal, Inc. truck: Freight will be $75.00 on all orders under $5,000.00. The charge will be added to the invoice for all deliveries. For orders over $5,000.00 the delivery charge will be waived.
- Items sent directly to the customer from the manufacturer: The delivery charge from the manufacturer will be added to the invoice.
- Items on bids that include freight: Freight charges will not be included on the invoice.
- Customer pick up at our location: Freight charges will not be included on the invouce, unless it is a special order.
- For warranty items, ordinary freight charges will not be added. For special overnight and 2nd Day requests, the customer must pay the freight charge.

October 31, 2025

PA MUNICIPAL, INC.

BUILDING A BETTER TOMORROW TOGETHER

10583 RAYSTOWN ROAD HUNTINGDON, PA 16652-7545